

# **Texas Department of State Health Services**

### Center for Health Statistics Texas Health Care Information Collection

## TEXAS HOSPITAL INPATIENT DISCHARGE PUBLIC USE DATA FILE (PUDF)

#### **USER MANUAL**

#### 2024

BACKGROUND	
PUBLIC USE DATA FILE (PUDF)	2
DATA PROCESSING AND QUALITY	5
PATIENT/PHYSICIAN CONFIDENTIALITY	6
RESTRICTIONS ON DATA USE	7
DATA LIMITATIONS	9
HOSPITAL COMMENTS	11
CITATION	11
DATA DICTIONARY	
DATA FIELDS  BASE DATA #1 FILE  BASE DATA #2 FILE  CHARGES DATA FILE  FACILITY TYPE INDICATOR FILE  GROUPER FILE	61 66 69 69

#### **BACKGROUND**

The Texas Health Care Information Council (THCIC) was created by Chapter 108 of the Texas Health and Safety Code (THSC) and was responsible, under Sections 108.011 through 108.0135, for collecting hospital discharge data from all state licensed hospitals except those that are statutorily exempt from the reporting requirement. Exempt hospitals include those located in a county with a population less than 35,000, or those located in a county with a population more than 35,000 and with fewer than 100 licensed hospital beds and not located in an area that is delineated as an urbanized area by the United States Bureau of the Census (Section 108.0025). Exempt hospitals also include hospitals that do not seek insurance payment or government reimbursement (Section 108.009). THCIC became part of the Texas Department of State Health Services (DSHS) effective September 1, 2004, and the DSHS Center for Health Statistics is now responsible for the collection and release of hospital discharge data.

Senate Bill (SB) 7 (82<sup>nd</sup> Texas Legislature First Called Special Session) SECTION 7.06 repeals the facility exemption sections in Chapter 108 effective September 1, 2014. Rules were adopted implementing the rural provider requirements to begin with January 1, 2015, data. Rural providers and providers that are exempt from state franchise, sales, ad valorem, or other state or local taxes, and that do not seek or receive reimbursement for providing health care services to patients from any source will no longer be exempt from the data reporting requirements of Chapter 108.

#### **PUBLIC USE DATA FILE (PUDF)**

Sections 108.011(a) and 108.012 of the THSC require DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for inpatient hospital stays. These data are extracted from DSHS's Hospital Discharge Database (HDD).

The PUDF Base Data File is split into two (2) Base Data files. Base Data #1 File contains the required data elements. Base Data #2 File contains most of the situationally required data elements and some calculated fields. The Record ID allows for linking the files together. The providers/submitters have, by law, until the next quarter (following the discharge) to submit their data. This means that the PUDF data is a snapshot in time and each quarter may contain some discharges dated in the previous quarter (i.e. for calendar year data be sure to check the first quarter of the following year also).

The Facility Type Indicator File is also included. This contains 12 variables including the THCIC ID and facility name and variables indicating whether the

facility is a teaching facility or pediatric hospital or other specialty facility. The file also includes POA provider indicator and certification status.

A Facility Reporting Status document is included which provides information about whether the facilities reported or if they reported low numbers and their identification was masked in the data, reported no discharges or if they closed, were out of compliance and if they submitted any comments about their data.

Additionally, the submitter Comments File is included. This contains any comments that were included by the submitter when the respective data was submitted and certified from a given facility.

The 2024 PUDF is available in five fixed length format text files, Base Data #1, Base Data #2, Charges Data, Groupers Data, and Facility Type Data files. The files are also available in tab-delimited format. The size of the files is as follows:

#### First quarter, 708\* hospitals:

Base Data #1	820,346 records	157 variables	Fixed field format	609 MB	Tab-delimited	305 MB
Base Data #2	820,346 records	99 variables	Fixed field format	509 MB	Tab-delimited	212 MB
Charges	15,982,731 records	13 variables	Fixed field format	1,250 MB	Tab-delimited	760 MB
Grouper Data	820,346 records	21 variables	Fixed field format	52 MB	Tab-delimited	67 MB
Facility Type Data	708 records	13 variables	Fixed field format	53 KB	Tab-delimited	42 KB

#### Second quarter, 696\* hospitals:

Base Data #1	797,179 records	157 variables	Fixed field format	591 MB	Tab-delimited	296 MB
Base Data #2	797,179 records	99 variables	Fixed field format	494 MB	Tab-delimited	206 MB
Charges	15,524,579 records	13 variables	Fixed field format	1,214 MB	Tab-delimited	739 MB
Grouper Data	797,179 records	21 variables	Fixed field format	50 MB	Tab-delimited	65 MB
Facility Type Data	696 records	13 variables	Fixed field format	52 KB	Tab-delimited	41 KB

<sup>\*</sup> Final number of reporting hospitals, calculated as the result of the original number of reporting hospitals minus the number of hospital(s) with ALL claims submitted wrong due to wrong type of bills.

The data must be imported into a software package. No software is included with the PUDF. The data file has been tested with several software packages, including Microsoft Access, 2010 Microsoft Excel (one quarter), SAS, and SPSS.

The PUDF, beginning with data collected for 2004, is formatted to accommodate additional data elements available with the collection of data from hospitals using the THCIC 837 format. The following data elements, other than the grouper file, are available in the PUDF beginning with data for 2004 or are not comparable to data collected in years prior to 2004; the grouper file becomes available for 2022 data and beyond:

BASE DATA #1 FILE (Separated Base I	File 2011)	
FAC_LONG_TERM_AC_IND	Added 2004. Moved to Fac	cility Type Indicator File in 2011
PAT_COUNTRY	Added 2004	
DSHS/THCIC	Dog 2	DSHS Document # E25-14163
WWW.DSHS.TEXAS.GOV/THCIC	Page 3	Last Updated: February, 2025

FIRST_PAYMENT_SRC	Replaces PAYMENT_SOURCE_1 and SOURCE_PAYMENT_CODE_1
SECOND_PAYMENT_SRC	Replaces PAYMENT_SOURCE_2 and SOURCE_PAYMENT_CODE_2
REVENUE_CODE_23	No longer available
TOTAL_CHARGES	Replaces TOTAL_CHARGES_23
TOTAL_CHARGES_ACCOMM	Replaces CLAIM_CHARGES_ACCOMM
TOTAL_NON_COV_CHARGES_ACCOMM	Replaces CLAIM_NON_COV_CHARGES_ACCOMM
TOTAL_CHARGES_ANCIL	Replaces CLAIM_CHARGES_ANCIL
TOTAL_NON_COV_CHARGES_ANCIL	Replaces CLAIM_NON_COV_CHARGES_ANCIL
EXTERNAL CAUSE OF INJURY 1	Replaces EXTNAL_CAUSE_OF_INJURY
EXTERNAL CAUSE OF INJURY 2 to	Added 2004
EXTERNAL_CAUSE_OF_INJURY_10	
OTH_DIAG_CODE_9 to OTH_DIAG_CODE_25	Added 2004
OTH_SURG_PROC_CODE_6 to	Added 2004
OTH_SURG_PROC_CODE_25	
OTH SURG PROC DAY 6 to	Added 2004
OTH_SURG_PROC_DAY_25	
OTH_ICD9_CODE_6 to OTH_ICD9_CODE_25	Added 2004
MS_MDC name changed from CMS_MDC	Added 2004; no longer available in Base Data #1—renamed as
(2011)	FROZEN_MS_MDC and moved to Grouper File in 2022
INBOUND_INDICATOR	Available 2004 only
	Added 2011
POA_PRINC_DIAG_CODE	Aunen Zott
POA_OTH_DIAG_CODE_1 to	Added 2011
POA_OTH_DIAG_CODE_24	Added 2011 Added 2011
POA_E_CODE_1 to POA_ E_CODE_10	
	Added 2011; no longer available in Base Data #1—renamed as
MG GROUPER ERROR GODE	FROZEN_MS_GRP_ERROR_CODE and moved to Grouper File in
MS_GROUPER_ ERROR _CODE	2022
	Added 2011; no longer available in Base Data #1—renamed as
	FROZEN_APR_GRP_ERROR_CODE and moved to Grouper File in
APR_GROUPER_ERROR_CODE	2022
PRINC_ICD9_CODE	No longer available
OTH_ICD9_CODE_1- OTH_ICD9_CODE_24	No longer available
EMERGENCY_DEPT_FLAG	Added 2017
BASE DATA #2 FILE (added 2011) Moved of	calculated charge amounts and situational data elements to
BASE DATA #2 FILE (added 2011) Moved of this file	calculated charge amounts and situational data elements to
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8	Calculated charge amounts and situational data elements to  Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12	Added 2004 Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12	Added 2004 Added 2004 Added 2004 Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to	Added 2004 Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to OCCUR_SPAN_CODE_4	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to OCCUR_SPAN_CODE_4  OCCUR_SPAN_FROM_1 to	Added 2004 Added 2004 Added 2004 Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to OCCUR_SPAN_CODE_4  OCCUR_SPAN_FROM_1 to OCCUR_SPAN_FROM_4	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to OCCUR_SPAN_CODE_4  OCCUR_SPAN_FROM_1 to OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_CODE_4  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_CODE_4  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_TRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_TRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE  UNITS_OF_SERVICE	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE  UNITS_OF_SERVICE  UNIT_RATE	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE  UNITS_OF_SERVICE  UNIT_RATE  CHRGS_LINE_ITEM  CHRGS_NON_COV	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE  UNITS_OF_SERVICE  UNIT_RATE  CHRGS_LINE_ITEM  CHRGS_NON_COV  FACILITY TYPE INDICATOR FILE (added 20)	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE  UNITS_OF_SERVICE  UNIT_RATE  CHRGS_LINE_ITEM  CHRGS_NON_COV  FACILITY TYPE INDICATOR FILE (added 20 POA_PROVIDER_INDICATOR	Added 2004
BASE DATA #2 FILE (added 2011) Moved this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE  UNITS_OF_SERVICE  UNIT_RATE  CHRGS_LINE_ITEM  CHRGS_NON_COV  FACILITY TYPE INDICATOR FILE (added 20 POA_PROVIDER_INDICATOR  CERT_STATUS	Added 2004
BASE DATA #2 FILE (added 2011) Moved of this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE  UNITS_OF_SERVICE  UNIT_RATE  CHRGS_LINE_ITEM  CHRGS_NON_COV  FACILITY TYPE INDICATOR FILE (added 20 POA_PROVIDER_INDICATOR	Added 2004  Added 2004  Added 2004  Added 2004
BASE DATA #2 FILE (added 2011) Moved this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE  UNITS_OF_SERVICE  UNIT_RATE  CHRGS_LINE_ITEM  CHRGS_NON_COV  FACILITY TYPE INDICATOR FILE (added 20 POA_PROVIDER_INDICATOR  CERT_STATUS  GROUPER FILE (added 2022)	Added 2004
BASE DATA #2 FILE (added 2011) Moved this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE  UNITS_OF_SERVICE  UNIT_RATE  CHRGS_LINE_ITEM  CHRGS_NON_COV  FACILITY TYPE INDICATOR FILE (added 20 POA_PROVIDER_INDICATOR  CERT_STATUS	Added 2004 Added 2005 Added 2006 Added 2007 Added 2006 Added 2006 Added 2006 Added 2006 Added 2006 Added 2006 Added 2007 Added 2007 Added 2008
BASE DATA #2 FILE (added 2011) Moved this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE  UNITS_OF_SERVICE  UNIT_RATE  CHRGS_LINE_ITEM  CHRGS_NON_COV  FACILITY TYPE INDICATOR FILE (added 20 POA_PROVIDER_INDICATOR  CERT_STATUS  GROUPER FILE (added 2022)	Added 2004 Added 2005 Added 2006 Added 2007 Added 2008 Added 2009
BASE DATA #2 FILE (added 2011) Moved this file  CONDITION_CODE_1 to CONDITION_CODE_8  OCCUR_CODE_1 to OCCUR_CODE_12  OCCUR_DAY_1 to OCCUR_DAY_12  OCCUR_SPAN_CODE_1 to  OCCUR_SPAN_FROM_1 to  OCCUR_SPAN_FROM_4  OCCUR_SPAN_THRU_1 to  OCCUR_SPAN_THRU_4  VALUE_CODE_1 to VALUE_CODE_12  VALUE_AMOUNT_1 to VALUE_AMOUNT_12  CHARGES FILE  REVENUE_CODE  HCPCS_QUALIFIER  HCPCS_PROCEDURE_CODE  MODIFIER_1 TO MODIFIER_4  UNIT_MEASUREMENT_CODE  UNITS_OF_SERVICE  UNIT_RATE  CHRGS_LINE_ITEM  CHRGS_NON_COV  FACILITY TYPE INDICATOR FILE (added 20 POA_PROVIDER_INDICATOR  CERT_STATUS  GROUPER FILE (added 2022)	Added 2004 Added 2005 Added 2006 Added 2007 Added 2006 Added 2006 Added 2006 Added 2006 Added 2006 Added 2006 Added 2007 Added 2007 Added 2008

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC DSHS Document # E25-14163 Last Updated: February, 2025

	file to Grouper File in 2022
	Replaces MS_GROUPER_ERROR_CODE; moved from Base Data #1
FROZEN MS GRP ERROR CODE	file to Grouper File in 2022
	Replaces APR_DRG; moved from Base Data #1 file to Grouper File
FROZEN_APR_DRG	in 2022
	Replaces RISK_MORTALITY; moved from Base Data #1 file to
FROZEN_RISK_MORTALITY	Grouper File in 2022
	Replaces ILLNESS_SEVERITY; moved from Base Data #1 file to
FROZEN_ILLNESS_SEVERITY	Grouper File in 2022
	Replaces APR_MDC; moved from Base Data #1 file to Grouper File
FROZEN_APR_MDC	in 2022
	Replaces APR_GROUPER_VERSION_NBR; moved from Base Data
FROZEN_APR_GRP_VER	#1 file to Grouper File in 2022
	Replaces APR_GROUPER_ERROR_CODE; moved from Base Data #1
FROZEN_APR_GRP_ERROR_CODE	file to Grouper File in 2022
MS _DRG	Dynamic; added 2022
MS _MDC	Dynamic; added 2022
MS _GRP_VER	Dynamic; added 2022
MS _GRP_ERROR_CODE	Dynamic; added 2022
APR_DRG	Dynamic; added 2022
RISK_MORTALITY	Dynamic; added 2022
ILLNESS_SEVERITY	Dynamic; added 2022
APR_MDC	Dynamic; added 2022
APR_GRP_VER	Dynamic; added 2022
APR_GRP_ERROR_CODE	Dynamic; added 2022

#### DATA PROCESSING AND QUALITY

Beginning with data submitted for 2004 discharges hospitals required to submit discharged inpatient claims data, moved from the submission of data in the uniform bill (electronic UB-92) format to the THCIC 837 format. The data are validated through a process of automated auditing and verification. Each individual hospital is responsible for the accuracy and completeness of its data. Even so, each record is subjected by DSHS to a series of audits that check for consistency and conformity with the definitions stated in the data specification manual. Records failing an audit check are returned to the hospital for correction and resubmission. Following the correction process, DSHS uses valid claims data to build files of "encounters" where one encounter contains the final discharge and all related interim claims information for a patient. Then, each submitting hospital has an opportunity to review, to make additional corrections, and to certify the encounter data with or without comments. Finally, DSHS builds a final encounter file that includes all corrections submitted by the hospitals. DSHS staff checks and adjusts for missing values and invalid codes in this file before the PUDF is generated. Users are advised to examine every data element to be used for missing values and invalid codes and to read accompanying notes, comments, and other descriptive text.

Beginning with fourth  $(4^{th})$  quarter 2015 data ICD-10-CM diagnostic codes and ICD-10-PCS procedure codes were mandated by the Federal Government. The increased length of the codes required a change in the data file formats. Some

data fields (for example, "POA\_Provider\_ Indicator" and Cert\_Status") are moved to the "Facility Type Indicator" file.

#### PATIENT/PHYSICIAN CONFIDENTIALITY

The legislative intent behind the creation of the Hospital Discharge Database (HDD) was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the Texas Health and Safety Code (THSC). Section 108.013(c) also stipulates that DSHS may not release, and a person or entity may not gain access to any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates the Section 108.013 and may incur penalties as stated in Sections 108.014 and 108.0141. In addition, under Section 108.013(e) and (f), patient and/or physician information in the HDD cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers (e.g., name, address, social security number, patient identifiers, admission and discharge dates) that might lead to the identification of a specific patient from the PUDF.

To protect patient identities, DSHS has suppressed these data elements in this release of the PUDF:

- The last two digits of the patient's ZIP code are suppressed if there are fewer than thirty patients included in the ZIP code.
- The ZIP code is changed to '88888' for patients from states other than Texas and the adjacent states.
- The entire ZIP code and gender code are suppressed if the ICD-10-CM or ICD-10-PCS codes indicates alcohol or drug use or an HIV diagnosis.
- The entire ZIP code and provider name are suppressed if a hospital has fewer than five discharges of a particular gender, including 'unknown'. The provider ID is changed to '999998'.
- The entire ZIP code is suppressed if a hospital has fewer than fifty discharges in a quarter and the provider ID is changed to '999999'.
- The country code is suppressed if the country field has fewer than five discharges for that quarter.
- The county code is suppressed if a county has fewer than five discharges for that quarter.
- Age is represented by 22 age group codes for the general patient population and 5 age group codes for the HIV and alcohol and drug use patient populations.
- Race is changed to 'Other' and ethnicity is suppressed if a hospital has fewer than ten discharges of a race.

Substance Abuse and Mental Health Services Administration (SAMHSA) new rules:

On January 18, 2017, Substance Abuse and Mental Health Services Administration (SAMHSA) passed rules for the protection of patients covered under 42 USC §290dd-2 and 42 CFR Part 2 rules (Mental Health and Substance Abuse patients and HIV patients).

The federal rules require that patients' names, identifiers (ZIP code, city, address, county, and any geographic identifiers below the state level), sex and dates (date of birth, statement from dates, statement through dates and procedure dates) be modified and/or masked in the THCIC Public Use Data Files (PUDF) and Research Data Files (RDF).

Texas Department of State Health Services (DSHS) proposed rules regarding the collection and release of the data regarding those patients covered by the federal rules, which were adopted, published in the January 25, 2019, Texas Register on page 44 TexReg 429 and became effective January 30, 2019.

Beginning with second quarter 2018, the inpatient, outpatient and emergency department public use datasets and any research datasets approved by the DSHS IRB will be appropriately masked for protection.

To protect physician identities, the THSC requires creation of a uniform identification number for physicians in practice. Uniform physician identifiers are available except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.

It may be possible in rare instances, through complex analysis and with outside information, to ascertain from the PUDF the identity of individual patients. Considerable harm could result if this were done. PUDF users are required to sign and comply with the DSHS Hospital Discharge Data Use Agreement in the Application before shipment of the PUDF. The Data Use Agreement prohibits attempts to identify individual patients.

#### **RESTRICTIONS ON DATA USE**

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any hospital quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose

other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital for the purpose of verifying information supplied in the DSHS Hospital Discharge Data sets. Any questions about the data must be referred to DSHS only. Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the "licensee". To acquire the data the licensee must give the following assurances with respect to the use of DSHS Hospital Discharge Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the hospital stay records of patients in this data set with personally identifiable records from any other source, including any THCIC research data files;
- The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;
- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;
- The licensee will not permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by the Data Use Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file:
- Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];
- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department's contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee's agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014 and 108.0141 of the Texas Health and Safety Code to knowingly or negligently release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the PUDF are required to purchase a license to use the data.

#### DATA LIMITATIONS

(Users are advised to become familiar with the data limitations.)

- Section 108.009(h), THSC requires that a uniform submission format be used for reporting purposes. Before 2004 data were collected in the UB-92 format. Data for 2004 were collected in both UB-92 electronic format and THCIC 837 format. Because these are billing forms, the data collected are administrative data and not clinical data. Beginning with 2005 all data are collected from the THCIC 837 format.
- Records with Major Diagnositic Category (MDC) codes of 15 (newborns and other neonates with conditions originating in the perinatal period), 20 (alcohol/drug induced organic mental disorders), or 22 (burns) and Patient Status codes of 62 (discharged/transferred to inpatient rehabilitation), 71 (discharged/transferred to other outpatient service), or 72 (discharged/transferred to institution outpatient service) contain an APR-DRG of 956 (ungroupable). These Patient Status codes were not valid when version 15 of the 3M APR-DRG Grouper was developed. A valid Patient Status code is required for these MDC codes for APR-DRG assignment and Risk of Mortality and Severity of Illness scoring. Patient status codes 71 and 72 are no longer valid as of October 2003. After October 2003 records with MDC codes of 15, 20, or 22 and Patient Status code of 62 contain an APR-DRG of 956.
- Hospital charges data are available after third (3<sup>rd</sup>) quarter 2000. Earlier data were not reported correctly by some hospitals.
- Secondary source of payment data are available after third (3<sup>rd</sup>) quarter 2000. Earlier data were not reported correctly by some hospitals.
- Gender is suppressed for patients with an ICD-10-CM code that indicates drug or alcohol use or an HIV diagnosis.
- The last two digits of the ZIP code are suppressed if there are fewer than thirty patients included in the zip code. All of the ZIP code is suppressed for patients with an ICD-10-CM code that indicates drug or alcohol use or

an HIV diagnosis or if a hospital has fewer than five discharges of a particular gender, including 'unknown'. ZIP code is changed to '88888' for patients from a state other than Texas and not from an adjacent state. If ZIP is '88888' the state abbreviation is changed to 'ZZ'. ZIP code is suppressed if a hospital has fewer than five patients of a particular gender, including 'unknown'.

- Admission Source as reported by hospitals is suppressed, as recommended by the Council, when the Admission Type is 'newborn'. Data users can use ICD-10-CM codes to correctly identify the clinical status of newborns.
- Uniform identification numbers for physicians are available after first (1<sup>st</sup>)
  quarter 2000 except when the number of physicians represented in a DRG
  for a hospital is less than the minimum cell size of five.
- The data are a snapshot in time. Hospitals must submit data no later than 60 days after the close of a calendar quarter. Depending on hospitals' collection and billing cycles, not all discharges may have been billed or reported. This can affect the accuracy of source of payment data, particularly self-pay and charity that may later qualify for Medicaid or other payment sources.
- Beginning with data for 2004 discharges, up to 25 diagnosis codes, up to 25 procedure codes, and up to 10 E-codes can be submitted. For earlier years the number of diagnosis codes collected per patient is limited to 9 and the number of procedure codes to 6. Because of these limitations, sicker patients and the hospitals that treat them may not be accurately represented in the data. This may also result in total volume and percentage calculations for diagnoses and procedures not being complete.
- Race and ethnicity data are required by law and rule to submit for each patient, generally not collected by hospitals and may be subjectively captured.
- Inaccuracies in the data and incompleteness of the data are addressed in the hospitals' comments if submitted by the facilities.
- County of residence is not collected by hospitals. County Federal Information Processing Standard (FIPS) codes are assigned by DSHS based on patient ZIP code.
- DSHS assigns the Risk of Mortality and Severity of Illness scores using methodology designed by 3M. These scores may be affected by the number of diagnoses and procedure codes collected by DSHS or by the facility's information system and may be understated.
- Comparability of length of stay (LOS) across hospitals is affected by factors such as case-mix and severity complexity, payer-mix, market areas and hospital ownership, affiliation or teaching status. Any analysis of LOS at the hospital level should consider the above factors.
- Length of stay is limited to 999 days prior to 2004 discharges.

- Any analysis of mortality should note that the data reflect only patients who died in the hospital and not those who died after discharge from the hospital.
- Conditions present at time of admission cannot be distinguished from those occurring during hospitalization prior to 2011 discharges. Diagnosis present on admission indicator codes (POA) were required for all hospitals, except Critical Access Hospitals, Inpatient Rehabilitation Hospitals, Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or Pediatric Hospitals, and Long-Term Care Hospitals. Some acute care hospitals that have special units similar to the hospitals exempted from reporting POA may not include POA codes for those patients.
- Updates to any PUDF CD's are available through the THCIC website, <a href="http://www.dshs.texas.gov/thcic/">http://www.dshs.texas.gov/thcic/</a>, which should be checked periodically as notifications of an update will not be sent.
- DSHS collects data from all hospitals in the state not specifically exempted by statute prior to January 1, 2015, services. Some hospitals maybe exempted for certain situations (for example, natural or other disasters or other unusual conditions) for limited time periods. This hospital mix should be considered when drawing conclusions about the data or making comparisons with other data.
- Any conclusions drawn from the data are subject to errors caused by the inability of the hospital to communicate complete data due to form constraints, subjectivity in the assignment of codes, system mapping, and clerical error. The data are submitted by hospitals as their best effort to meet statutory requirements.

#### **HOSPITAL COMMENTS**

(Users are advised to consider hospital comments in any analysis of the data.)

Included with the PUDF is a separate file containing the unedited comments submitted by hospitals at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals and are not necessarily the views of the DSHS. Hospitals that submitted comments are identified in separate file called the 'Reporting Status of Texas Hospitals'.

#### **CITATION**

Any statistical reporting or analysis based on the data shall cite the source as the following:

Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication].

#### **REVISION**

Field 2: DISCHARGE: Additional information regarding the breakdown of months into quarters added

DSHS Document # E25-14163 Last Updated: February, 2025



### Texas Department of State Health Services

### Texas Hospital Inpatient Discharge Public Use Data File

#### **DATA DICTIONARY**

The purpose of this document is to provide the user with the necessary information to use and understand the data in the Public Use Data File. The following information is provided:

Field	Unique, abbreviated name of the data element.
Description	Brief explanation of the data element. Descriptions of data elements are taken from specifications manuals
Data	Provided by the health care facility on the claim form (Claim)
Source	
	Assigned by DSHS (Assigned)
	Provided to THCIC by the healthcare facility (Provider)
	Calculated by DSHS (Calculated)
	Note: For those data elements that have been temporarily suppressed, the quarter of data for which the data element will be released is noted
	following the Data Source.
Туре	Alphanumeric or numeric
Coding scheme	Valid codes for a data field. Values taken from specifications manuals.

Note a change: Any code provided by a hospital that has been determined to be invalid has been assigned the value `. Any data element that is blank should be interpreted as 'missing', no data provided, unless otherwise noted.

#### BASE DATA #1 FILE

Field 1:	RECORD_ID					
<b>Description:</b>	Record Identification Number. Unique number assigned to identify the record. First available					
	1 <sup>st</sup> quarter 2002. Does NOT	Γ match the RECC	ORD_ID in THCIC Research Data Files (RDF's).			
<b>Beginning Position:</b>	1	<b>Data Source:</b>	Assigned			
Length:	12	Type:	Alphanumeric			
Field 2:	DISCHARGE					
<b>Description:</b>	Discharge Quarter. Year and	d quarter of discha	rge. yyyyQn.			
	1st Quarter (YYYYQ1): 1	st January-31st I	March of that corresponding year			
	2nd Quarter (YYYYQ2): 1	1st April – 30th J	une of that corresponding year			
	3rd Quarter (YYYYQ3): 1	1st July- 30th Sep	otember of that corresponding year			
	4th Quarter (YYYYQ4); 1	lst October-31st l	December of that corresponding year			
	* Late submissions by facili	ities of the previou	is quarter can appear.			

DSHS/THCIC
WWW.DSHS.TEXAS.GOV/THCIC
Page 13
DSHS Document # E25-14163
Last Updated: February, 2025

D ' ' D ''	12	<b>D</b> 4 G	A . 1	
Beginning Position:	13	Data Source:	Assigned	
Length:	6	Type:	Alphanumeric	
Field 3:	THCIC_ID  Drawider ID Unique identifi	iar assigned to the	provider by DCUC	
Description: Suppression:	Provider ID. Unique identification Hospitals with fewer than 50			Provider ID '000000' If
Suppression:	a hospital has fewer than 5 c			
	is '999998'.	discharges of a pai	ticular gender, including	ulikilowii, Flovidei ID
<b>Beginning Position:</b>	19	Data Source:	Assigned	
Length:	6	Type:	Alphanumeric	
Field 4:	TYPE_OF_ADMISSION	Type.	Aiphanumene	
Description:	Code indicating the type of	admission		
Coding Scheme:	1 Emergency	admission		
coung seneme.	2 Urgent			
	3 Elective			
	4 Newborn 5 Trauma			
	9 Information not availab	le		
	` Invalid			
<b>Beginning Position:</b>	25	Data Source:	Claim	
Length:	1	Type:	Alphanumeric	
Field 5:	SOURCE_OF_ADMISSION			
Description:	Code indicating source of the			
Coding Scheme:	1 Non-Healthcare Facility		nning July 1, 2010)	
	<ul><li>2 Clinic or Physician's O:</li><li>4 Transfer from a hospita</li></ul>			
	1		nediate care facility or assisted liv	ving facility
	6 Transfer from another h		•	
	8 Court/Law Enforcemen			
	<ul><li>9 Information not availab</li><li>D Transfer from One Dist</li></ul>		al to another Distinct Unit of the	Como Hospital Dasyltina in a
	Separate Claim to the P		al to another Distinct Unit of the	Same nospital Resulting in a
	E Transfer from Ambulate			
	F Transfer from a Hospice	e Facility		
	Invalid			
	If Type of Admission=4 (Newborn 5 Born inside this hospita			
	6 Born outside this hospit			
<b>Beginning Position:</b>	26	<b>Data Source:</b>	Claim	
Length:	1	Type:	Alphanumeric	
Field 6:	SPEC_UNIT_1	. =	-	
<b>Description:</b>	Specialty Units in which mo	ost days during sta	y occurred based on numb	er of days by Type of
	Bill or Revenue Code.			
Coding Scheme:		oronary Care Unit	P	Pediatric Unit
		etoxification Unit ntensive Care Unit	Y R	Psychiatric Unit Rehabilitation Unit
		ospice Unit	U	Sub-acute Care Unit
		ursery	S	Skilled Nursing Unit
		bstetric Unit	Blank	Acute Care
		ncology Unit		
<b>Beginning Position:</b>	27	Data Source:	Calculated	
Length:	1	Type:	Alphanumeric	
Field 7:	SPEC_UNIT_2			1 61 1 70
<b>Description:</b>	Specialty Units in which 2 <sup>nd</sup>	most days during	stay occurred based on nu	imber of days by Type
	of Bill or Revenue Code.	1		
Coding Scheme:	Same as field SPEC_UNIT_		0.111	
Beginning Position:	28	Data Source:	Calculated	
Length:	CDEC LIMIT 2	Type:	Alphanumeric	
Field 8:	SPEC_UNIT_3	most dores desire	atory o anymod bessel as see	mhon of days ber Terre
<b>Description:</b>	Specialty Units in which 3 <sup>rd</sup> of Bill or Revenue Code.	most days during	stay occurred based on nu	moer of days by Type
	of Dill of Nevellde Code.			

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC

**Page 14** 

DSHS Document # E25-14163 Last Updated: February, 2025 **Coding Scheme:** Same as field SPEC\_UNIT\_1

**Beginning Position:** 29 **Data Source:** Calculated Length: Alphanumeric Type:

Field 9: SPEC UNIT 4

**Description:** Specialty Units in which 4<sup>th</sup> most days during stay occurred based on number of days by Type

of Bill or Revenue Code.

**Coding Scheme:** Same as field SPEC UNIT 1

**Beginning Position:** 30 **Data Source:** Calculated Length: Type: Alphanumeric

SPEC UNIT 5 Field 10:

Specialty Units in which 5th most days during stay occurred based on number of days by Type **Description:** 

of Bill or Revenue Code.

Same as field SPEC\_UNIT\_1 **Coding Scheme:** 

**Beginning Position: Data Source:** 31 Calculated Length: Type: Alphanumeric

Field 11: PAT STATE

**Description:** State of the patient's mailing address in Texas and contiguous states. Standard 2-character

Postal Service abbreviation.

Arkansas **Coding Scheme:** 

Louisiana LA NM New Mexico OK Oklahoma TXTexas

All other states and American Territories 77

FC Foreign country Foreign country XX

**Beginning Position: Data Source:** 32 Claim Length: Type: Alphanumeric

Field 12: PAT ZIP

**Description:** Patient's five-digit ZIP code.

**Suppression:** Last two digits are blank if a ZIP code has fewer than 30 discharges. If state equals 'ZZ', ZIP

> code equals '88888'. If state equals 'FC' (foreign country) ZIP code is blank, If ICD-10-CM indicates alcohol or drug use or an HIV diagnosis, the ZIP code is blank. If ICD-10-CM indicates alcohol or drug use or an HIV diagnosis (patients covered by 42 USC §290dd-2 and 42 CFR Part 2 rules) the ZIP code is reported as "" (back quote). If a hospital has fewer than fifty discharges the ZIP code is blank. If a hospital has fewer than 5 discharges of a particular

gender, including 'unknown', the ZIP Code is blank.

**Beginning Position:** 34 **Data Source:** Claim Type: Length: Alphanumeric

PAT COUNTRY Field 13:

**Description:** Country of patient's residential address. List maintained by the International Organization for

Standardization (ISO). If ICD-10-CM indicates alcohol or drug use or an HIV diagnosis (patients covered by 42 USC §290dd-2 and 42 CFR Part 2 rules), the country is reported as ""

(back quote).

**Suppression:** Suppressed if fewer than 5 patients from one country.

**Coding scheme:** See www.ISO.org for complete list.

**Beginning Position:** 39 **Data Source:** Claim

Length: Alphanumeric Type: Field 14: PAT COUNTY **Description:** FIPS code of patient's county. Anderson 001 129 Donley 257 Kaufman 385 Real **Coding scheme:** 003 Andrews 131 Duval 259 Kendall 387 Red River 005 Angelina 133 Eastland 261 Kenedy 389 Reeves 007 Aransas 135 263 391 Refugio Ector Kent 009 Archer 137 Edwards 265 Kerr Roberts 011 Armstrong 139 Kimble 395 Ellis 267 Robertson 013 Atascosa 141 El Paso 269 King 397 Rockwall 015 Austin 143 Erath Kinney Runnels 017 Bailey Falls Kleberg Rusk

DSHS/THCIC DSHS Document # E25-14163 Page 15 Last Updated: February, 2025

010	D 1	1.47	г .	275	***	402	C 1:
019 021	Bandera	147 149	Fannin	275 283	Knox La Salle	403 405	Sabine
	Bastrop		Fayette Fisher	283 277	La Salle Lamar	403	San Augustine San Jacinto
023	Baylor	151		279		407	
025 027	Bee Bell	153 155	Floyd Foard	281	Lamb Lampasas	411	San Patricio San Saba
	Bexar		Fort Bend	285		411	
029 031	Blanco	157 159	Franklin	287	Lavaca Lee	415	Schleicher
		161		289		417	Scurry
033	Borden	163	Freestone Frio	289	Leon	417	Shackelford
035	Bosque	165	Gaines	291	Liberty		Shelby
037	Bowie	167		293 295	Limestone	421 423	Sherman
039	Brazoria		Galveston Garza	293	Lipscomb		Smith
041	Brazos	169			Live Oak	425	Somervell
043	Brewster	171 173	Gillespie Glasscock	299	Llano	427 429	Starr
045	Briscoe			301	Loving		Stephens
047	Brooks	175 177	Goliad	303	Lubbock	431 433	Sterling
049	Brown		Gonzales	305	Lynn		Stonewall
051	Burleson	179	Gray	307	McCulloch	435	Sutton
053	Burnet	181	Grayson	309	McLennan	437	Swisher
055	Caldwell	183	Gregg	311	McMullen	439	Tarrant
057	Calhoun	185	Grimes	313	Madison	441	Taylor
059	Callahan	187	Guadalupe	315	Marion	443	Terrell
061	Cameron	189	Hale	317	Martin	445	Terry
063	Camp	191	Hall	319	Mason	447	Throckmorton
065	Carson	193	Hamilton	321	Matagorda	449	Titus
067	Cass	195	Hansford	323	Maverick	451	Tom Green
069	Castro	197	Hardeman	325	Medina	453	Travis
071	Chambers	199	Hardin	327	Menard	455	Trinity
073	Cherokee	201	Harris	329	Midland	457	Tyler
075 077	Childress	203 205	Harrison	331 333	Milam Mills	459 461	Upshur Upton
	Clay Cochran	205	Hartley			463	Uvalde
079			Haskell	335	Mitchell		
081 083	Coke Coleman	209 211	Hays Hemphill	337 339	Montague Montgomery	465 467	Val Verde Van Zandt
	Collin	211	Henderson	341	<i>U</i> ,	467	
085 087	Collingsworth	215	Hidalgo	343	Moore Morris	469	Victoria Walker
089	Colorado	217	Hill	345	Motley	473	Waller
	Conal	217		343 347	Nacogdoches	475	Ward
091 093	Comanche	219	Hockley Hood	349	Nacoguocnes Navarro	477	
	Concho	223		351		477	Washington
095 097	Cooke	225	Hopkins Houston	353	Newton Nolan	481	Webb Wharton
097		227	Howard	355	Nueces	483	Wheeler
101	Coryell Cottle	229	Hudspeth	357	Ochiltree	485	Wichita
101	Crane	231	Hunt	359	Oldham	487	
105	Crockett	233	Hutchinson	361		489	Wilharger
103	Crosby	235	Irion	363	Orange Palo Pinto	491	Willacy Williamson
107	Culberson	237	Jack	365	Panola	491	Wilson
111	Dallam	239	Jackson	367	Parker	495	Winkler
111	Dallas	241	Jasper	369	Parmer	493	Wise
115	Danas	241	Jeff Davis	371	Pecos	497	Wood
117	Deaf Smith	245	Jefferson	373	Polk	501	Yoakum
117	Delta	243		375	Potter		
121	Denton Denton	247	Jim Hogg Jim Wells	377	Potter Presidio	503 505	Young
121	Denitit	251	Johnson	379	Rains	507	Zapata Zavala
125	Dickens	253	Jonnson Jones	381	Randall	307	∠avaia
							Involid
127	Dimmit	255	Karnes	383	Reagan		Invalid

**Beginning Position:** 

Data Source: Assigned; based on patient ZIP code 41 Alphanumeric Length: Type:

#### **Field 15: Description: Coding Scheme:**

#### PUBLIC\_HEALTH\_REGION

Public Health Region of patient's address.

Armstrong, Bailey, Briscoe, Carson, Castro, Childress, Cochran, Collingsworth, Crosby, Dallam, Deaf Smith, Dickens, Donley, Floyd, Garza, Gray, Hale, Hall, Hansford, Hartley, Hemphill, Hockley, Hutchinson, King, Lamb, Lipscomb, Lubbock, Lynn, Moore, Motley, Ochiltree, Oldham, Parmer, Potter, Randall, Roberts, Sherman, Swisher, Terry, Wheeler, Yoakum counties

- 2 Archer, Baylor, Brown, Callahan, Clay, Coleman, Comanche, Cottle, Eastland, Fisher, Foard, Hardeman, Haskell, Jack, Jones, Kent, Knox, Mitchell, Montague, Nolan, Runnels, Scurry, Shackleford, Stephens, Stonewall, Taylor, Throckmorton, Wichita, Wilbarger, Young counties
- 3 Collin, Cooke, Dallas, Denton, Ellis, Erath, Fannin, Grayson, Hood, Hunt, Johnson, Kaufman, Navarro, Palo Pinto, Parker, Rockwall, Somervell, Tarrant, Wise counties
- Anderson, Bowie, Camp, Cass, Cherokee, Delta, Franklin, Gregg, Harrison, Henderson, Hopkins, Lamar, 4 Marion, Morris, Panola, Rains, Red River, Rusk, Smith, Titus, Upshur, Van Zandt, Wood counties
- 5 Angelina, Hardin, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Polk, Sabine, San Augustine, San Jacinto, Shelby, Trinity, Tyler counties

DSHS/THCIC DSHS Document # E25-14163 Page 16 WWW.DSHS.TEXAS.GOV/THCIC Last Updated: February, 2025

- 6 Austin, Brazoria, Chambers, Colorado, Fort Bend, Galveston, Harris, Liberty, Matagorda, Montgomery, Walker, Waller, Wharton counties
- Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes, 7 Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, McLennan, Madison, Milam, Mills, Robertson, San Saba, Travis, Washington, Williamson counties
- Atascosa, Bandera, Bexar, Calhoun, Comal, DeWitt, Dimmit, Edwards, Frio, Gillespie, Goliad, Gonzales, Guadalupe, Jackson, Karnes, Kendall, Kerr, Kinney, La Salle, Lavaca, Maverick, Medina, Real, Uvalde, Val Verde, Victoria, Wilson, Zavala counties
- Andrews, Borden, Coke, Concho, Crane, Crockett, Dawson, Ector, Gaines, Glasscock, Howard, Irion, Kimble, 9 Loving, McCulloch, Martin, Mason, Menard, Midland, Pecos, Reagan, Reeves, Schleicher, Sterling, Sutton, Terrell, Tom Green, Upton, Ward, Winkler counties
- 10 Brewster, Culberson, El Paso, Hudspeth, Jeff Davis, Presidio counties
- Aransas, Bee, Brooks, Cameron, Duval, Hidalgo, Jim Hogg, Jim Wells, Kenedy, Kleberg, Live Oak, 11 McMullen, Nueces, Refugio, San Patricio, Starr, Webb, Willacy, Zapata counties Invalid

**Beginning Position:** 

44

**Data Source:** Assigned Type: Alphanumeric

Length:

Field 16: PAT STATUS

**Description: Coding Scheme:**  Code indicating patient status as of the ending date of service for the period of care reported

- Discharged to home or self-care (routine discharge)
- Discharged/transferred to a short-term general hospital for inpatient care
- 03 Discharged/transferred to skilled nursing facility (SNF) with Medicare certification in anticipation of skilled
- 04 Discharged/transferred to a facility that provides custodial or supportive care
- 05 Discharged/transferred to a Designated Cancer Center or Children's Hospital (effective 10-1-2007)
- 06 Discharged/transferred to home under care of an organized home health service organization in anticipation of covered skilled care
- 07 Left against medical advice
- 09 Admitted as inpatient to this hospital
- 20 Expired
- 21 Discharged/transferred to Court/Law Enforcement
- 30 Still patient
- 40 Expired at home
- 41 Expired in a medical facility
- 42 Expired, place unknown
- 43 Discharged/transferred to federal government operated health facility
- 50 Hospice-home
- 51 Hospice-medical facility (Certified) providing hospice level of care
- 61 Discharged/transferred within this institution to Medicare-approved swing bed
- Discharged/transferred to inpatient rehabilitation facility 62
- Discharged/transferred to Medicare-certified long term care hospital 63
- Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare 64
- Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital 65
- Discharged/transferred to Critical Access Hospital (CAH) 66
- 69 Discharged/Transferred to a designated disaster alternate care (effective 10-1-2013)
- 70 Discharge/transfer to another type of health care institution not defined elsewhere in the code list
- Discharged to Home or Self Care with a Planned Acute. Care Hospital Inpatient Readmission (effective 10-1-81
- Discharged/Transferred to a Short Term General Hospital for Inpatient Care with a Planned Acute Care 82 Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Skilled Nursing Facility (SNF) with Medicare Certification with a Planned Acute 83 Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Facility that Provides Custodial or Supportive Care with a Planned Acute Care 84 Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/transferred to a Designated Cancer Center or Children's Hospital with a Planned Acute Care 85 Hospital Inpatient Readmission (effective 10-1-2013)
- 86 Discharged/Transferred to Home under Care of Organized Home Health Service Organization with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 87 Discharged/Transferred to Court/Law Enforcement with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to a Federal Health Care Facility with a Planned Acute Care Hospital Inpatient 88 Readmission (effective 10-1-2013)
- Discharged/Transferred to a Hospital-based Medicare Approved Swing Bed with a Planned Acute Care 89 Hospital Inpatient Readmission (effective 10-1-2013)
- Discharged/Transferred to an Inpatient Rehabilitation Facility (IRF) including Rehabilitation Distinct Part 90 Units of a Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 91 Discharged/Transferred to a Medicare Certified Long Term Care Hospital (LTCH) with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)

DSHS Document # E25-14163 Page 17 -Last Updated: February, 2025

	a Planned Acute Care H	lospital Inpatient Readn	ertified Under Medicaid but not Certified Under Medicare with nission (effective 10-1-2013) al or Psychiatric Distinct Part Unit of a Hospital with a Planned
	Acute Care Hospital Inp	patient Readmission (eff	
		to Another Type of He	alth Care Institution not Defined Elsewhere in this Code List Readmission (effective 10-1-2013)
n · · n · ·	Invalid	D 4 G	
Beginning Position: Length:	46 2	Data Source: Type:	Claim Alphanumeric
Field 17:	SEX_CODE	1 ypc.	1 ipitalianierie
Description:	Gender of the patient as re	ecorded at date of a	admission or start of care.
Suppression:			ndicates drug or alcohol use or an HIV diagnosis. If
			an HIV diagnosis (patients covered by 42 USC
			der of the patient is reported as "U" (Unknown). If
			icular gender, including unknown, Provider ID is P Code are blank for those patients.
<b>Coding Scheme:</b>	M Male	ille alla Fatietti Zii	Code are brank for those patients.
coung benefit.	F Female		
	U Unknown ` Invalid		
<b>Beginning Position:</b>	48	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 18:	RACE		
Description:	Code indicating the patien		
Suppression:	If a hospital has fewer tha  1 American Indian/Eskim		ne race that race is changed to 'Other' (code equals 5).
Coding Scheme:	2 Asian or Pacific Islande		
	3 Black		
	4 White 5 Other		
	Invalid		
	11114114		
<b>Beginning Position:</b>	49	Data Source:	Claim
Length:	49 1	Data Source: Type:	Claim Alphanumeric
Length: Field 19:	49 1 ETHNICITY	Type:	Alphanumeric
Length: Field 19: Description:	49 1 ETHNICITY Code indicating the Hispa	Type:	Alphanumeric atient.
Length: Field 19:	49 1 ETHNICITY Code indicating the Hispa If a hospital has fewer tha	Type:	Alphanumeric
Length: Field 19: Description:	49 1 ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank). 1 Hispanic Origin	Type:	Alphanumeric atient.
Length: Field 19: Description: Suppression:	49 1 ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank). 1 Hispanic Origin 2 Not of Hispanic Origin	Type:	Alphanumeric atient.
Length: Field 19: Description: Suppression: Coding Scheme:	49 1 ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin invalid	Type:  unic origin of the partients of or	Alphanumeric atient. The race the ethnicity of patients of that race is
Length: Field 19: Description: Suppression:	49 1 ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank). 1 Hispanic Origin 2 Not of Hispanic Origin	Type:  unic origin of the particular patients of or  Data Source:	Alphanumeric atient. The race the ethnicity of patients of that race is
Length: Field 19: Description: Suppression: Coding Scheme: Beginning Position:	49 1 ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin Invalid 50	Type:  unic origin of the partients of or	Alphanumeric  atient.  ne race the ethnicity of patients of that race is  Claim
Length: Field 19: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 20: Description:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  Hispanic Origin Not of Hispanic Origin Invalid  ADMIT_WEEKDAY Code indicating day of we	Type:  unic origin of the part ten patients of or  Data Source: Type:	Alphanumeric  atient.  ne race the ethnicity of patients of that race is  Claim Alphanumeric
Length: Field 19: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 20:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin Invalid 50 1  ADMIT_WEEKDAY Code indicating day of we 1 Monday	Type:  unic origin of the part ten patients of or  Data Source: Type:	Alphanumeric  atient.  ne race the ethnicity of patients of that race is  Claim Alphanumeric  tted 5 Friday
Length: Field 19: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 20: Description:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  Hispanic Origin Not of Hispanic Origin Invalid  ADMIT_WEEKDAY Code indicating day of we	Type:  unic origin of the part ten patients of or  Data Source: Type:	Alphanumeric  atient.  ne race the ethnicity of patients of that race is  Claim Alphanumeric
Length: Field 19: Description: Suppression: Coding Scheme:  Beginning Position: Length: Field 20: Description: Coding Scheme:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin Invalid 50 1  ADMIT_WEEKDAY Code indicating day of we 1 Monday 2 Tuesday 3 Wednesday 4 Thursday	Type:  unic origin of the part ten patients of or  Data Source: Type:  eek patient is admit	Alphanumeric  atient.  ne race the ethnicity of patients of that race is  Claim     Alphanumeric  tted     5     Friday     6     Saturday     7     Sunday     Novalid
Length: Field 19: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 20: Description: Coding Scheme:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin Invalid 50 1  ADMIT_WEEKDAY Code indicating day of we 1 Monday 2 Tuesday 3 Wednesday 4 Thursday 51	Type:  unic origin of the part ten patients of or  Data Source: Type:  eek patient is admit	Alphanumeric  atient.  ne race the ethnicity of patients of that race is  Claim     Alphanumeric  tted     5     Friday     6     Saturday     7     Sunday     1     Invalid     Assigned
Length: Field 19: Description: Suppression: Coding Scheme:  Beginning Position: Length: Field 20: Description: Coding Scheme:  Beginning Position: Length:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin Invalid 50 1  ADMIT_WEEKDAY Code indicating day of we 1 Monday 2 Tuesday 3 Wednesday 4 Thursday 51 1	Type:  unic origin of the part ten patients of or  Data Source: Type:  eek patient is admit	Alphanumeric  atient.  ne race the ethnicity of patients of that race is  Claim     Alphanumeric  tted     5     Friday     6     Saturday     7     Sunday     Novalid
Length: Field 19: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 20: Description: Coding Scheme: Beginning Position: Length: Field 21:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin Invalid 50 1  ADMIT_WEEKDAY Code indicating day of wee 1 Monday 2 Tuesday 3 Wednesday 4 Thursday 51 1  LENGTH_OF_STAY	Type:  Inic origin of the part	Alphanumeric  atient.  ne race the ethnicity of patients of that race is  Claim Alphanumeric  tted  5 Friday 6 Saturday 7 Sunday Invalid Assigned Alphanumeric
Length: Field 19: Description: Suppression: Coding Scheme:  Beginning Position: Length: Field 20: Description: Coding Scheme:  Beginning Position: Length:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin Invalid 50 1  ADMIT_WEEKDAY Code indicating day of wee 1 Monday 2 Tuesday 3 Wednesday 4 Thursday 51 1  LENGTH_OF_STAY Length of stay in days equ	Type:  Inic origin of the part	Alphanumeric  atient.  ne race the ethnicity of patients of that race is  Claim     Alphanumeric  tted     5    Friday     6    Saturday     7    Sunday          Invalid     Assigned     Alphanumeric  ers period through date <i>minus</i> Admission/start of
Length: Field 19: Description: Suppression: Coding Scheme: Beginning Position: Length: Field 20: Description: Coding Scheme: Beginning Position: Length: Field 21:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin Invalid 50 1  ADMIT_WEEKDAY Code indicating day of wee 1 Monday 2 Tuesday 3 Wednesday 4 Thursday 51 1  LENGTH_OF_STAY Length of stay in days equ	Type:  Inic origin of the part	Alphanumeric  atient.  ne race the ethnicity of patients of that race is  Claim Alphanumeric  tted  5 Friday 6 Saturday 7 Sunday Invalid Assigned Alphanumeric
Length: Field 19: Description: Suppression: Coding Scheme:  Beginning Position: Length: Field 20: Description: Coding Scheme:  Beginning Position: Length: Field 21: Description: Beginning Position: Length: Length:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin invalid 50 1  ADMIT_WEEKDAY Code indicating day of we 1 Monday 2 Tuesday 3 Wednesday 4 Thursday 51 1  LENGTH_OF_STAY Length of stay in days equal care date. The minimum less 52 4	Type:  Inic origin of the part	Alphanumeric  atient.  ne race the ethnicity of patients of that race is  Claim Alphanumeric  tted  5 Friday 6 Saturday 7 Sunday Invalid Assigned Alphanumeric  ers period through date minus Admission/start of lay. The maximum is 9999 days.
Length: Field 19: Description: Suppression: Coding Scheme:  Beginning Position: Length: Field 20: Description: Coding Scheme:  Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Field 22:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin Invalid 50 1  ADMIT_WEEKDAY Code indicating day of we 1 Monday 2 Tuesday 3 Wednesday 4 Thursday 51 1  LENGTH_OF_STAY Length of stay in days equal care date. The minimum left 52 4  PAT_AGE	Type:  Inic origin of the part	Alphanumeric  atient.  ne race the ethnicity of patients of that race is  Claim     Alphanumeric  tted  5    Friday 6    Saturday 7    Sunday 1    Invalid Assigned Alphanumeric  ers period through date minus Admission/start of lay. The maximum is 9999 days.  Calculated Alphanumeric
Length: Field 19: Description: Suppression: Coding Scheme:  Beginning Position: Length: Field 20: Description: Coding Scheme:  Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin Invalid 50 1  ADMIT_WEEKDAY Code indicating day of we 1 Monday 2 Tuesday 3 Wednesday 4 Thursday 51 1  LENGTH_OF_STAY Length of stay in days equal care date. The minimum left 52 4  PAT_AGE Code indicating age of part	Type:  Inic origin of the part	Alphanumeric  Claim Alphanumeric  tted  5 Friday 6 Saturday 7 Sunday Invalid Assigned Alphanumeric  ers period through date minus Admission/start of lay. The maximum is 9999 days.  Calculated Alphanumeric  ars on date of discharge.
Length: Field 19: Description: Suppression: Coding Scheme:  Beginning Position: Length: Field 20: Description: Coding Scheme:  Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Field 22:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin Invalid 50 1  ADMIT_WEEKDAY Code indicating day of we 1 Monday 2 Tuesday 3 Wednesday 4 Thursday 51 1  LENGTH_OF_STAY Length of stay in days equal care date. The minimum left 52 4  PAT_AGE	Type:  Inic origin of the part	Alphanumeric  Claim Alphanumeric  tted  5 Friday 6 Saturday 7 Sunday Invalid Assigned Alphanumeric  ers period through date minus Admission/start of lay. The maximum is 9999 days.  Calculated Alphanumeric  ars on date of discharge.  20 85-89
Length: Field 19: Description: Suppression: Coding Scheme:  Beginning Position: Length: Field 20: Description: Coding Scheme:  Beginning Position: Length: Field 21: Description: Beginning Position: Length: Field 22: Description:	ETHNICITY Code indicating the Hispa If a hospital has fewer tha suppressed (code is blank).  1 Hispanic Origin 2 Not of Hispanic Origin Invalid 50 1  ADMIT_WEEKDAY Code indicating day of we 1 Monday 2 Tuesday 3 Wednesday 4 Thursday 51 1  LENGTH_OF_STAY Length of stay in days equal care date. The minimum left of the stay in days equal care date. The minimum left of the stay in days equal care date. The minimum left of the stay in days equal care date. The minimum left of the stay in days equal care date. The minimum left of the stay in days equal care date. The minimum left of the stay in days equal care date. The minimum left of the stay in days equal care date. The minimum left of the stay in days equal care date. The minimum left of the stay in days equal care date. The minimum left of the stay in days equal care date. The minimum left of the stay in days equal care date. The minimum left of the stay in days equal the stay in	Type:  Inic origin of the part	Alphanumeric  Claim Alphanumeric  tted  5 Friday 6 Saturday 7 Sunday Invalid Assigned Alphanumeric  ers period through date minus Admission/start of lay. The maximum is 9999 days.  Calculated Alphanumeric  ars on date of discharge.  20 85-89

WWW.DSHS.TEXAS.GOV/THCIC

Last Updated: February, 2025

		4 years	12					V and drug/alcohol use patients:
	03 5-9		13	50-54			22	
		)-14 - 17	14				23	
		i-17 i-19	15 16				24 25	
		)-24	17	70-74			26	
		5-29	18				``	Invalid
	09 30	)-34	19	80-84				
<b>Beginning Position:</b>	56		Data S	ource:	Assigned	1		
Length:	2		Type:		Alphanu	meric		
Field 23:		PAYMENT_SRC						
Description: Coding Scheme:	09 Se	licating the expected of Pay (Removed from 50 ginning 2Q2012 data)					intena	ance Organization
		entral Certification			LI	Liability		
		her Non-federal Program			LM	Liability N		
		eferred Provider Organiza	ation (PPC	O)	MA	Medicare I		
		oint of Service (POS) sclusive Provider Organiz	ration (FP	(O)	MB MC	Medicare I Medicaid	Рап В	
		demnity Insurance	ation (Li	0)	TV	Title V		
	16 He	ealth Maintenance Organi edicare Risk	ization (H	MO)	OF	Other Fed	eral Pı	rogram
		atomobile Medical			VA			stration Plan
		ue Cross/Blue Shield HAMPUS			WC ZZ			ensation Health Claim at or Unknown
		ommercial Insurance			\			Z, combined for 2004 & 2005
		sability Insurance				Invalid		
Beginning Position:	58	Ž	Data S	ource:	Claim			
Length:	2		Type:	041000	Alphanu	meric		
Field 24:		DARY_PAYMENT			<u> </u>			
Description:		licating the expected		lary sour	ce of payr	nent.		
Coding Scheme:		field FIRST_PAYM			or puji			
<b>Beginning Position:</b>	60		Data S		Claim			
Length:	2		Type:	our cc.	Alphanu	meric		
Field 25:		OF_BILL	<u> </u>		Tipnana	mene		
Description:		s the specific type of	bill					
Coding Scheme:		vpe of Facility		ligit–Type o	of Care		$3^{rd} d$	ligit–Sequence of claim
couning seneme.	1 Hosp	pital	1	Inpatient, Part A	including N		0	Non-payment/Zero claim
		ed nursing	2		Medicare P	art B only	1	Admit through discharge claim
		e health	3	Outpatier		1'	2	Interim-first claim
	_	gious non-medical health -Hospital	4	Part B on	it Other, Me lv	aicare	3	Interim-continuing claim
	5 Relig	gious non-medical health -Extended care	5		ate Care–Le	evel I	4	Interim-last claim
	6 Intern	mediate care	6	Intermedi	ate Care–Le	vel II	5	Late charge(s) only claim
	7 Clini	c	7	Sub-acute	e inpatient –	Level III	6	Adjustment of prior claim (No
	8 Spec	ial facility	8	Swing be	d		7 8	used by Medicare) Replacement of prior claim Void/cancel of prior claim
<b>Beginning Position:</b>	62		Data S	ource:	Claim		3	cancer or prior claim
Length:	3		Type:		Alphanu	meric		
Field 26:		_CHARGES	JEST		F-24126			
Description:			ges, noi	n-covered	d accomm	odation cl	harge	es, ancillary charges, non-
<u> </u>		ancillary charges. Re					5	,
<b>Beginning Position:</b>	65		Data S		Claim	_		
Length:	12		Type:		Numeric			
		_NON_COV_CHA						
Field 27:		non-covered accomn		n charges	, non-cov	ered ancil	larv	charges.
Field 27: Description:	Sum of r						5	<i>O</i>
<b>Description:</b>			Data S	ource:	Claim			
Description: Beginning Position:	77		Data S Type:	ource:	Claim Numeric			
Description: Beginning Position: Length:	77 12		Type:	ource:	Numeric	:		
Description: Beginning Position: Length:	77 12	_CHARGES_ACC	Type:	ource:		:		
	77 12 <b>TOTAL</b>	_CHARGES_ACC	Type:				DSH	IS Document # E25-14163

**Description:** Sum of covered and non-covered accommodation charges. **Beginning Position:** 89 **Data Source:** Claim Length: 12 Type: Numeric Field 29: TOTAL NON COV CHARGES ACCOMM **Description:** Sum of non-covered accommodations charges. **Beginning Position:** 101 **Data Source:** Claim Length: 12 Type: Numeric TOTAL\_CHARGES\_ANCIL Field 30: **Description:** Sum of covered and non-covered ancillary charges. **Beginning Position: Data Source:** 113 Length: 12 Type: Numeric TOTAL NON COV CHARGES ANCIL Field 31: **Description:** Sum of non-covered ancillary charges. **Beginning Position:** 125 **Data Source:** Claim Length: 12 Type: Numeric Field 32: ADMITTING DIAGNOSIS **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 137 **Data Source:** Claim Length: Alphanumeric Type: Field 33: PRINC DIAG CODE **Description:** ICD-10-CM diagnosis code for the principal diagnosis, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 144 **Data Source:** Claim Length: Alphanumeric Type: Field 34: POA PRINC DIAG CODE Code identifying whether Principal Diagnosis code was present at the time the patient was **Description:** admitted to the hospital Y Yes **Coding Scheme:** N No U Unknown W Clinically Undetermined Space (1st & 2nd Qtr. 2012 only) Invalid **Beginning Position:** 151 **Data Source:** Claim Length: Alphanumeric Type: Field 35: OTH DIAG CODE 1 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 152 **Data Source:** Claim Length: Type: Alphanumeric Field 36: POA\_OTH\_DIAG\_CODE\_1 **Description:** Code identifying whether Oth Diag Code 1 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA\_PRINC\_DIAG\_CODE **Beginning Position:** 159 **Data Source:** Claim Length: Type: Alphanumeric **Field 37:** OTH DIAG CODE 2 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 160 **Data Source:** Claim Type: Length: Alphanumeric Field 38: POA OTH DIAG CODE 2 **Description:** Code identifying whether Oth Diag Code 2 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position:** 167 **Data Source:** Claim DSHS/THCIC DSHS Document # E25-14163 Page 20

Last Updated: February, 2025

WWW.DSHS.TEXAS.GOV/THCIC

Length: Type: Alphanumeric OTH DIAG CODE 3 Field 39: **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Data Source: Beginning Position:** 168 Claim Length: 7 Type: Alphanumeric POA OTH DIAG CODE 3 Field 40: **Description:** Code identifying whether Oth\_Diag\_Code\_3 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position: Data Source:** 175 Claim Length: Type: Alphanumeric Field  $\overline{41}$ : OTH\_DIAG\_CODE\_4 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 176 **Data Source:** Claim Length: Alphanumeric Type: POA\_OTH\_DIAG\_CODE\_4 Field 42: Code identifying whether Oth Diag Code 4 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Data Source: Beginning Position:** 183 Claim Length: Type: Alphanumeric **Field 43:** OTH\_DIAG\_CODE\_5 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 184 **Data Source:** Claim Length: Alphanumeric Type: Field 44: POA OTH DIAG CODE 5 Code identifying whether Oth Diag Code 5 code was present at the time the patient was **Description:** admitted to the hospital Same as Field POA PRINC DIAG CODE **Coding Scheme: Beginning Position:** 191 **Data Source:** Claim Length: Type: Alphanumeric Field 45: OTH DIAG CODE 6 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 192 **Data Source:** Claim Length: Alphanumeric Type: Field 46: POA OTH DIAG CODE 6 Code identifying whether Oth Diag Code 6 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position:** 199 **Data Source:** Claim Length: Type: Alphanumeric **Field 47:** OTH\_DIAG\_CODE\_7 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 200 **Data Source:** Claim Type: Length: Alphanumeric Field 48: POA OTH DIAG CODE 7 Code identifying whether Oth\_Diag\_Code\_7 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA\_PRINC\_DIAG\_CODE **Beginning Position: Data Source:** Claim

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 21

DSHS Document # E25-14163

Last Updated: February, 2025

Length: Type: Alphanumeric OTH DIAG CODE 8 Field 49: **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Data Source: Beginning Position:** 208 Claim Length: 7 Type: Alphanumeric POA OTH DIAG CODE 8 Field 50: **Description:** Code identifying whether Oth\_Diag\_Code\_8 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position: Data Source:** 215 Claim Length: Type: Alphanumeric Field 51: OTH\_DIAG\_CODE\_9 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 216 **Data Source:** Claim Length: Alphanumeric Type: POA\_OTH\_DIAG\_CODE\_9 Field 52: Code identifying whether Oth Diag Code 9 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Data Source: Beginning Position:** 223 Claim Length: Type: Alphanumeric Field 53: OTH\_DIAG\_CODE\_10 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 224 **Data Source:** Claim Length: Alphanumeric Type: Field 54: POA OTH DIAG CODE 10 Code identifying whether Oth Diag Code 10 code was present at the time the patient was **Description:** admitted to the hospital Same as Field POA PRINC DIAG CODE **Coding Scheme: Beginning Position:** 231 **Data Source:** Claim Length: Type: Alphanumeric Field 55: OTH DIAG CODE 11 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 232 **Data Source:** Claim Length: Alphanumeric Type: Field 56: POA OTH DIAG CODE 11 Code identifying whether Oth Diag Code 11 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position:** 239 **Data Source:** Claim Length: Type: Alphanumeric **Field 57:** OTH\_DIAG\_CODE\_12 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 240 **Data Source:** Claim Length: Type: Alphanumeric Field 58: POA OTH DIAG CODE 12 Code identifying whether Oth\_Diag\_Code\_12 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA\_PRINC\_DIAG\_CODE

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 22

DSHS Document # E25-14163

Last Updated: February, 2025

**Data Source:** 

Claim

**Beginning Position:** 

Length: Type: Alphanumeric OTH DIAG CODE 13 Field 59: **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Data Source: Beginning Position:** 248 Claim Length: 7 Type: Alphanumeric POA OTH DIAG CODE 13 Field 60: **Description:** Code identifying whether Oth\_Diag\_Code\_13 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position: Data Source:** 255 Claim Length: Type: Alphanumeric Field 61: OTH\_DIAG\_CODE\_14 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 256 **Data Source:** Claim Length: Alphanumeric Type: POA\_OTH\_DIAG\_CODE\_14 Field 62: Code identifying whether Oth Diag Code 14 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Data Source: Beginning Position:** 263 Claim Length: Type: Alphanumeric **Field 63:** OTH\_DIAG\_CODE\_15 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 264 **Data Source:** Claim Length: Alphanumeric Type: Field 64: POA OTH DIAG CODE 15 Code identifying whether Oth Diag Code 15 code was present at the time the patient was **Description:** admitted to the hospital Same as Field POA PRINC DIAG CODE **Coding Scheme: Beginning Position:** 271 **Data Source:** Claim Length: Type: Alphanumeric Field 65: OTH DIAG CODE 16 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 272 **Data Source:** Claim Length: Type: Alphanumeric Field 66: POA OTH DIAG CODE 16 Code identifying whether Oth Diag Code 16 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position:** 279 **Data Source:** Claim Length: Type: Alphanumeric **Field 67:** OTH\_DIAG\_CODE\_17 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 280 **Data Source:** Claim Type: Length: Alphanumeric Field 68: POA OTH DIAG CODE 17 Code identifying whether Oth\_Diag\_Code\_17 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA\_PRINC\_DIAG\_CODE

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 23

DSHS Document # E25-14163

Last Updated: February, 2025

**Data Source:** 

Claim

**Beginning Position:** 

Length: Type: Alphanumeric OTH DIAG CODE 18 Field 69: **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Data Source: Beginning Position:** 288 Claim Length: 7 Type: Alphanumeric Field 70: POA OTH DIAG CODE 18 **Description:** Code identifying whether Oth\_Diag\_Code\_18 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position: Data Source:** 295 Claim Length: Type: Alphanumeric **Field 71:** OTH\_DIAG\_CODE\_19 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 296 **Data Source:** Claim Length: Alphanumeric Type: POA\_OTH\_DIAG\_CODE\_19 **Field 72:** Code identifying whether Oth Diag Code 19 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Data Source: Beginning Position:** 303 Claim Length: Type: Alphanumeric **Field 73:** OTH\_DIAG\_CODE\_20 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 304 **Data Source:** Claim Length: Alphanumeric Type: **Field 74:** POA OTH DIAG CODE 20 Code identifying whether Oth Diag Code 20 code was present at the time the patient was **Description:** admitted to the hospital Same as Field POA PRINC DIAG CODE **Coding Scheme: Beginning Position:** 311 **Data Source:** Claim Length: Type: Alphanumeric Field 75: OTH DIAG CODE 21 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 312 **Data Source:** Claim Length: Alphanumeric Type: **Field 76:** POA OTH DIAG CODE 21 Code identifying whether Oth Diag Code 21 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position:** 319 **Data Source:** Claim Length: Type: Alphanumeric **Field 77:** OTH\_DIAG\_CODE\_22 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 320 **Data Source:** Claim Length: Type: Alphanumeric **Field 78:** POA OTH DIAG CODE 22 Code identifying whether Oth\_Diag\_Code\_22 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA\_PRINC\_DIAG\_CODE

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 24

DSHS Document # E25-14163

Last Updated: February, 2025

**Data Source:** 

Claim

**Beginning Position:** 

Length: Type: Alphanumeric OTH DIAG CODE 23 Field 79: **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Data Source: Beginning Position:** 328 Claim Length: 7 Type: Alphanumeric POA OTH DIAG CODE 23 Field 80: **Description:** Code identifying whether Oth\_Diag\_Code\_23 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position: Data Source:** 335 Claim Length: Type: Alphanumeric Field 81: OTH\_DIAG\_CODE\_24 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 336 **Data Source:** Claim Length: Alphanumeric Type: POA\_OTH\_DIAG\_CODE\_24 Field 82: Code identifying whether Oth Diag Code 24 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE Data Source: **Beginning Position:** 343 Claim Length: Type: Alphanumeric **Field 83:** E CODE 1 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of the primary external cause of morbidity. A decimal is implied following the third character. **Data Source: Beginning Position:** 344 Claim Length: Alphanumeric Type: Field 84: POA E CODE 1 **Description:** Code identifying whether E Code 1 code was present at the time the patient was admitted to the hospital Same as Field POA PRINC DIAG CODE **Coding Scheme: Beginning Position:** 351 **Data Source:** Claim Length: 1 Type: Alphanumeric Field 85: E CODE 2 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position:** 352 **Data Source:** Claim Length: Alphanumeric Type: Field 86: POA E CODE 2 **Description:** Code identifying whether E Code 2 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE 359 **Beginning Position: Data Source:** Claim Length: Type: Alphanumeric Field 87: E CODE 3 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Data Source: Beginning Position:** 360 Claim Length: Type: Alphanumeric Field 88: POA E CODE 3 **Description:** Code identifying whether E\_Code\_3 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA\_PRINC\_DIAG\_CODE **Beginning Position: Data Source:** Claim

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 25

DSHS Document # E25-14163

Last Updated: February, 2025

Length: Type: Alphanumeric E CODE 4 Field 89: **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position: Data Source:** Claim Length: 7 Type: Alphanumeric POA E CODE 4 Field 90: **Description:** Code identifying whether E\_Code\_4 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position: Data Source:** 375 Claim Length: Type: Alphanumeric Field 91: E\_CODE\_5 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Data Source: Beginning Position:** 376 Claim Length: Alphanumeric Type: POA E CODE 5 Field 92: **Description:** Code identifying whether E Code 5 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Data Source: Beginning Position:** 383 Claim Length: Type: Alphanumeric Field 93: E\_CODE\_6 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Data Source: Beginning Position:** 384 Claim Length: Alphanumeric Type: Field 94: POA E CODE 6 **Description:** Code identifying whether E Code 6 code was present at the time the patient was admitted to the hospital Same as Field POA PRINC DIAG CODE **Coding Scheme: Beginning Position: Data Source:** Claim Length: 1 Type: Alphanumeric Field 95: E CODE 7 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position:** 392 **Data Source:** Claim Length: Alphanumeric Type: Field 96: POA E CODE 7 Code identifying whether E Code 7 code was present at the time the patient was admitted to **Description:** the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position:** 399 **Data Source:** Claim Length: Type: Alphanumeric Field 97: E CODE 8 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Data Source: Beginning Position:** 400 Claim Length: Type: Alphanumeric Field 98: POA E CODE 8 **Description:** Code identifying whether E\_Code\_8 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA\_PRINC\_DIAG\_CODE **Beginning Position: Data Source:** Claim

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 26

DSHS Document # E25-14163

Last Updated: February, 2025

Length: Type: Alphanumeric E\_CODE 9 Field 99: **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position: Data Source:** Claim Length: 7 Type: Alphanumeric POA E CODE 9 **Field 100: Description:** Code identifying whether E\_Code\_9 code was present at the time the patient was admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position: Data Source:** 415 Claim Length: Type: Alphanumeric **Field 101:** E\_CODE\_10 **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an additional external cause of morbidity. Decimal is implied following the third character. **Beginning Position:** 416 **Data Source:** Claim Length: Type: Alphanumeric POA E CODE 10 **Field 102: Description:** Code identifying whether E Code 10 code was present at the time the patient was admitted to the hospital Same as Field POA PRINC DIAG CODE **Coding Scheme: Data Source: Beginning Position:** 423 Claim Length: Type: Alphanumeric PRINC\_SURG\_PROC\_CODE **Field 103: Description:** Code for the principal surgical or other procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 424 **Data Source:** Claim Length: Alphanumeric Type: PRINC SURG PROC DAY **Field 104:** Day of principal surgical or other procedure equals Principal Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 431 Data Source: Calculated Length: 4 Type: Alphanumeric **Field 105:** OTH SURG PROC CODE 1 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position: Data Source:** 435 Claim Length: Alphanumeric Type: OTH\_SURG\_PROC\_DAY 1 **Field 106: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 442 **Data Source:** Calculated Length: Type: Alphanumeric **Field 107:** OTH SURG PROC CODE 2 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Data Source: Beginning Position:** 446 Claim Length: Type: Alphanumeric **Field 108:** OTH SURG PROC DAY 2 Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date **Beginning Position:** 453 **Data Source:** Calculated Length: Alphanumeric Type: **Field 109:** OTH\_SURG\_PROC\_CODE\_3

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 27

DSHS Document # E25-14163

Last Updated: February, 2025

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Data Source: Beginning Position:** 457 Claim

Length: Alphanumeric Type: 7

**Field 110:** OTH SURG PROC DAY 3

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** 

Admission/Start of Care Date

**Beginning Position:** 464 **Data Source:** Calculated Length: Type: Alphanumeric 4

**Field 111:** OTH SURG PROC CODE 4

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 468 **Data Source:** Claim Length: 7 Type: Alphanumeric

**Field 112:** OTH SURG PROC DAY 4

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

**Beginning Position: Data Source:** Calculated 475 Length: Type: Alphanumeric

**Field 113:** OTH SURG PROC CODE 5

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

479 **Beginning Position:** Data Source: Claim

Length: 7 Type: Alphanumeric

**Field 114:** OTH SURG PROC DAY 5

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

**Beginning Position: Data Source:** 486 Calculated Length: Alphanumeric Type:

**Field 115:** OTH SURG PROC CODE 6

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

**Data Source:** 

Claim

period covered by the bill. ICD-10-PCS code.

Type: Length: Alphanumeric

**Field 116:** OTH SURG PROC DAY 6

490

**Beginning Position:** 

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

**Beginning Position:** 497 **Data Source:** Calculated Length: Alphanumeric Type:

OTH SURG PROC CODE 7 **Field 117:** 

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 501 **Data Source:** Claim

Length: Type: Alphanumeric 7

**Field 118:** OTH SURG PROC DAY 7

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

**Beginning Position:** 508 **Data Source:** Calculated Length: Alphanumeric Type:

OTH SURG PROC CODE 8 **Field 119:** 

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 512 **Data Source:** Claim

Length: Type: Alphanumeric

**Field 120:** OTH\_SURG\_PROC\_DAY\_8

DSHS/THCIC DSHS Document # E25-14163 Page 28 WWW.DSHS.TEXAS.GOV/THCIC Last Updated: February, 2025

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

**Beginning Position:** 519 **Data Source:** Calculated Length: Alphanumeric 4 Type:

**Field 121:** OTH SURG PROC CODE 9

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 523 **Data Source:** Claim

Length: Type: Alphanumeric

**Field 122:** OTH SURG PROC DAY 9

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 530 **Data Source:** Calculated Length: 4 Alphanumeric Type:

**Field 123:** OTH SURG PROC CODE 10

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position: Data Source:** Claim 534

Length: Type: Alphanumeric **Field 124:** OTH SURG PROC DAY 10

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 541 **Data Source:** Calculated Length: 4 Type: Alphanumeric

**Field 125:** OTH SURG PROC CODE 11

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position: Data Source:** 545 Claim

Length: Type: Alphanumeric

**Field 126:** OTH SURG PROC DAY 11

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 552 **Data Source:** Calculated Length: 4 Type: Alphanumeric

**Field 127:** OTH SURG PROC CODE 12

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

Claim

period covered by the bill. ICD-10-PCS code. 556 **Data Source:** 

Length:

**Beginning Position:** 

Alphanumeric Type:

**Field 128:** OTH SURG PROC DAY 12

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** 

Admission/Start of Care Date.

**Beginning Position:** 563 **Data Source:** Calculated Length: 4 Type: Alphanumeric

**Field 129:** OTH SURG PROC CODE 13

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 567 **Data Source:** Claim Length: Type: Alphanumeric

**Field 130:** OTH SURG PROC DAY 13

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** 

Admission/Start of Care Date.

**Beginning Position:** 574 **Data Source:** Calculated Length: Alphanumeric Type:

**Field 131:** OTH\_SURG\_PROC\_CODE\_14

DSHS/THCIC DSHS Document # E25-14163 Page 29 Last Updated: February, 2025

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 578 **Data Source:** Claim

Length: Type: Alphanumeric

**Field 132:** OTH SURG PROC DAY 14

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** 

Admission/Start of Care Date.

**Beginning Position:** 585 **Data Source:** Calculated Length: Alphanumeric 4 Type:

**Field 133:** OTH SURG PROC CODE 15

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 589 **Data Source:** Claim

Length: Type: Alphanumeric

**Field 134:** OTH SURG PROC DAY 15

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** 

Admission/Start of Care Date.

**Beginning Position: Data Source:** Calculated 596 Length: Type: Alphanumeric

**Field 135:** OTH SURG PROC CODE 16

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 600 **Data Source:** Claim

Length: 7 Type: Alphanumeric

**Field 136:** OTH SURG PROC DAY 16

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position: Data Source:** 607 Calculated Length: Alphanumeric Type:

**Field 137:** OTH SURG PROC CODE 17

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

**Data Source:** 

Claim

period covered by the bill. ICD-10-PCS code.

Length: Type: Alphanumeric

**Field 138:** OTH SURG PROC DAY 17

611

**Beginning Position:** 

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 618 **Data Source:** Calculated Length: Alphanumeric Type:

OTH SURG PROC CODE 18 **Field 139:** 

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 622 **Data Source:** Claim

Length: 7 Type: Alphanumeric

**Field 140:** OTH SURG PROC DAY 18

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 629 **Data Source:** Calculated Length: Alphanumeric Type:

OTH SURG PROC CODE 19 **Field 141:** 

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 633 **Data Source:** Claim

Length: Alphanumeric Type:

**Field 142:** OTH\_SURG\_PROC\_DAY\_19

DSHS/THCIC DSHS Document # E25-14163 Page 30 Last Updated: February, 2025

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 640 **Data Source:** Calculated Length: Alphanumeric 4 Type:

**Field 143:** OTH SURG PROC CODE 20

Code for surgical or other procedure other than the principal procedure performed during the **Description:** 

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 644 **Data Source:** Claim

Length: Type: Alphanumeric

**Field 144:** OTH SURG PROC DAY 20

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 651 **Data Source:** Calculated Length: 4 Alphanumeric Type:

**Field 145:** OTH SURG PROC CODE 21

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position: Data Source:** Claim 655

Length: Type: Alphanumeric

**Field 146:** OTH SURG PROC DAY 21

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 662 **Data Source:** Calculated Length: 4 Type: Alphanumeric

**Field 147:** OTH SURG PROC CODE 22

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position: Data Source:** 666 Claim

Type: Length: Alphanumeric

**Field 148:** OTH SURG PROC DAY 22

**Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date.

**Beginning Position:** 673 **Data Source:** Calculated Length: 4 Type: Alphanumeric

**Field 149:** OTH SURG PROC CODE 23

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

> period covered by the bill. ICD-10-PCS code. 677 **Data Source:** Claim

Length:

**Beginning Position:** 

Alphanumeric Type:

**Field 150:** OTH SURG PROC DAY 23

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** 

Admission/Start of Care Date.

**Beginning Position:** 684 **Data Source:** Calculated Length: 4 Type: Alphanumeric

**Field 151:** OTH SURG PROC CODE 24

**Description:** Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

**Beginning Position:** 688 **Data Source:** Claim Length: Type: Alphanumeric

**Field 152:** OTH SURG PROC DAY 24

Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** 

Admission/Start of Care Date.

**Beginning Position:** 695 **Data Source:** Calculated Length: Alphanumeric Type:

**Field 153:** ATTENDING\_PHYSICIAN\_UNIF\_ID

DSHS/THCIC DSHS Document # E25-14163 Page 31 Last Updated: February, 2025

**Description:** Attending Physician Uniform Identifier. Unique identifier assigned to the licensed physician

expected to certify medical necessity of services rendered, with primary responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and

podiatrists authorized by the hospital to admit or treat patients.

**Suppression:** Suppressed when the number of physicians represented in a DRG for a hospital is less than the

minimum cell size of five.

**Coding Scheme:** 9999999998 Cell size less than 5

9999999999 Temporary license or license number could not be matched

Beginning Position:699Data Source:AssignedLength:10Type:Alphanumeric

Field 154: OPERATING\_PHYSICIAN\_UNIF\_ID

**Description:** Operating or other Physician Uniform Identifier (if applicable). Unique identifier assigned to

the operating physician or physician other than the attending physician. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat

oatients.

**Suppression:** Suppressed when the number of physicians represented in a DRG for a hospital is less than the

minimum cell size of five.

**Coding Scheme:** 9999999998 Cell size less than 5

9999999999 Temporary license or license number could not be matched

**Beginning Position:** 709 **Data Source:** Assigned **Length:** 10 **Type:** Alphanumeric

Field 155: ENCOUNTER INDICATOR

Description:Indicates the number of claims used to create the encounterBeginning Position:719Data Source:CalculatedLength:2Type:Alphanumeric

Field 156: PROVIDER NAME

**Description:** Hospital name provided by the hospital.

**Suppression:** Hospitals with fewer than 50 discharges (Provider ID equals '999999') are assigned the name

'Low Discharge Volume Hospital'. If a hospital has fewer than 5 discharges of a particular

gender, including 'unknown', Hospital Name is blank.

**Beginning Position:** 721 **Data Source:** Provider **Length:** 55 **Type:** Alphanumeric

Field 157: EMERGENCY DEPT FLAG

**Description:** Indicator of emergency department visit.

Coding Scheme: Y visit was emergency related N Visit was not emergency related

#### BASE DATA #2 FILE

Field 1:	RECORD_ID				
<b>Description:</b>	Record Identification Number. Unique number assigned to identify the record. First available 1 <sup>st</sup> quarter 2002. Does NOT match the RECORD ID in THCIC Research Data Files (RDF's).				
<b>Beginning Position:</b>	1	<b>Data Source:</b>	Assigned		
Length:	12	Type:	Alphanumeric		
Field 2:	PRIVATE_AMOUNT	V 1			
Description:		ivate Room Cha	rge Amount. Calculated using MEDPAR		
<u>.</u>			evenue codes 0100-0219, revenue center 011X,		
	014X		, , , , , , , , , , , , , , , , , , ,		
<b>Beginning Position:</b>	13	<b>Data Source:</b>	Calculated		
Length:	12	Type:	Numeric		
Field 3:	SEMI_PRIVATE_AMOU	NT			
<b>Description:</b>			n Charge Amount. Calculated using MEDPAR		
•			evenue codes 0100-0219, revenue center 010X,		
	012X-014X, 016X-019X		,		
<b>Beginning Position:</b>	25	<b>Data Source:</b>	Calculated		
Length:	12	Type:	Numeric		
Field 4:	WARD_AMOUNT				
<b>Description:</b>	Accommodation Charge, W	Accommodation Charge, Ward Charge Amount. Calculated using MEDPAR algorithm. Sum of			
-	charges associated with reve	enue codes 0100-	-0219, revenue center 015X.		
<b>Beginning Position:</b>	37	<b>Data Source:</b>	Calculated		
Length:	12	Type:	Numeric		
Field 5:	ICU_AMOUNT				
<b>Description:</b>	Accommodation Charge, In	tensive Care Uni	t Charge Amount. Calculated using MEDPAR		
	algorithm. Sum of charges a	associated with re	evenue codes 0100-0219, revenue center 020X.		
<b>Beginning Position:</b>	49	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 6:	CCU_AMOUNT				
<b>Description:</b>			it Charge Amount. Calculated using MEDPAR		
	-		evenue codes 0100-0219, revenue center 021X.		
<b>Beginning Position:</b>	61	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 7:	OTHER_AMOUNT				
<b>Description:</b>	•	_	ount. Calculated using MEDPAR algorithm. Sum		
			ner than 0100-0219, revenue center 0002-0099,		
D 1 1 D 11			X-070X, 076X-078X, 090X-095X, 099X.		
<b>Beginning Position:</b>	73	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 8:	PHARM_AMOUNT	d	Amount Colorlated using MEDDAD also without		
<b>Description:</b>			Amount. Calculated using MEDPAR algorithm.		
		viui revenue code	es other than 0100-0219, revenue center 025X,		
Beginning Position:	026X, and 063X. 85	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 9:		Type.	Numenc		
	MEDSURG_AMOUNT				
<b>Description:</b>		Ancillary Service Charge, Medical/Surgical Supply Charge Amount. Calculated using			
	MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 027X, 062X.				
Beginning Position:	97	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 10:	DME_AMOUNT	- jpc.	1 (MINOLIV		
I KIU IV.	DIVIL_INIOUITI				

DSHS/THCIC
WWW.DSHS.TEXAS.GOV/THCIC
Page 33
DSHS Document # E25-14163
Last Updated: February, 2025

Description:	Ancillary Service Charge, Durable Medical Equipment Charge Amount. Calculated using				
	MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219,				
	revenue centers 0290-0292,				
<b>Beginning Position:</b>	109	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 11:	USED_DME_AMOUNT				
<b>Description:</b>	Ancillary Service Charge, U	sed Durable Med	dical Equipment Charge Amount. Calculated using		
-	MEDPAR algorithm. Sum o	of charges associa	ated with revenue codes other than 0100-0219,		
	revenue center 0293.	C			
<b>Beginning Position:</b>	121	<b>Data Source:</b>	Calculated		
Length:	12	Type:	Numeric		
Field 12:	PT_AMOUNT				
Description:		hysical Therany	Charge Amount. Calculated using MEDPAR		
Description.			evenue codes other than 0100-0219, revenue center		
	042X.	ssociated with re	venue codes offici filan 0100 0219, ievenue center		
<b>Beginning Position:</b>	133	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 13:	OT AMOUNT	Type.	Numeric		
	<del>_</del>	annotional Tha	rony Charge Amount Calculated using MEDDAD		
<b>Description:</b>			rapy Charge Amount. Calculated using MEDPAR		
		ssociated with re	evenue codes other than 0100-0219, revenue center		
D	043X.	D-4- C	0.1, 1, , , 1		
<b>Beginning Position:</b>	145	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 14:	SPEECH_AMOUNT	1.75.1.1	Cl. A. C. L. L. L. MEDDAD		
Description:			Charge Amount. Calculated using MEDPAR		
	-	ssociated with re	evenue codes other than 0100-0219, revenue center		
D 1 1 D 1/1	044X, 047X.	<b>D</b> 4 G			
<b>Beginning Position:</b>	157	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 15:	IT_AMOUNT	1 1 1 7			
Description:			y Charge Amount. Calculated using MEDPAR		
	-	ssociated with re	evenue codes other than 0100-0219, revenue center		
	041X, 046X.	<b>-</b>	~		
<b>Beginning Position:</b>	169	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 16:	BLOOD_AMOUNT				
Description:	Ancillary Service Charge for blood provided during the patient's stay. Calculated using				
	MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219,				
	revenue center 038X.				
<b>Beginning Position:</b>	181	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 17:	BLOOD_ADMIN_AMOU				
Description:	Ancillary Service Charge for blood storage and processing related to the patient's stay.				
	Calculated using MEDPAR	algorithm. Sum	of charges associated with revenue codes other		
	than 0100-0219, revenue cer	nter 039X.			
<b>Beginning Position:</b>	193	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 18:	OR_AMOUNT				
<b>Description:</b>		Ancillary Service Charge, Operating Room Charge amount. Calculated using MEDPAR			
_	algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center				
	036X, 071X-072X.				
<b>Beginning Position:</b>	205	Data Source:	Calculated		
Longth	12	Type	Numaria		

Type:

Numeric

DSHS/THCIC Page 34
WWW.DSHS.TEXAS.GOV/THCIC

LITH\_AMOUNT

12

Length:

Field 19:

<b>Description:</b>	Ancillary Service Charge, L	ithotripsy Charge	e Amount. Calculated using MEDPAR algorithm.	
			es other than 0100-0219, revenue center 079X.	
<b>Beginning Position:</b>	217	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 20:	CARD_AMOUNT			
Description:	<del></del>	ardiology Charg	e Amount. Calculated using MEDPAR algorithm.	
Description:			es other than 0100-0219, revenue center 048X,	
	073X.	viai ieveliae eoak	os other than 0100 0219, revenue center 0 1011,	
<b>Beginning Position:</b>	229	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 21:	ANES_AMOUNT	турс.	Tumeric	
Description:		nacthacia Charge	e Amount. Calculated using MEDPAR algorithm.	
Description.			es other than 0100-0219, revenue center 037X.	
<b>Beginning Position:</b>	241	Data Source:	Calculated	
	12			
Length: Field 22:		Type:	Numeric	
	LAB_AMOUNT	-1	Annual Caladada Sa MEDDAD da Sala	
<b>Description:</b>			e Amount. Calculated using MEDPAR algorithm.	
		in revenue code	es other than 0100-0219, revenue center 030X-	
D ' ' D ''	031X, 074X-075X.	<b>D</b> 4 G		
<b>Beginning Position:</b>	253	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 23:	RAD_AMOUNT			
<b>Description:</b>			Amount. Calculated using MEDPAR algorithm.	
	Sum of charges associated with revenue codes other than 0100-0219, revenue center 028X,			
	032X-035X, 040X.			
<b>Beginning Position:</b>	265	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 24:	MRI_AMOUNT			
Description:			unt. Calculated using MEDPAR algorithm. Sum of	
	<u> </u>		than 0100-0219, revenue center 061X.	
<b>Beginning Position:</b>	277	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 25:	OP_AMOUNT			
	OP_AMOUNT Ancillary Service Charge, O	outpatient Service	es Charge Amount. Calculated using MEDPAR	
Field 25:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a	outpatient Service		
Field 25: Description:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X.	outpatient Service ssociated with re	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center	
Field 25: Description: Beginning Position:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X.	outpatient Service ssociated with re  Data Source:	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated	
Field 25: Description: Beginning Position: Length:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289	outpatient Service ssociated with re	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center	
Field 25: Description:  Beginning Position: Length: Field 26:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT	outpatient Service ssociated with re  Data Source: Type:	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric	
Field 25: Description: Beginning Position: Length:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E	outpatient Service ssociated with re  Data Source: Type:  mergency Room	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR	
Field 25: Description:  Beginning Position: Length: Field 26:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a	outpatient Service ssociated with re  Data Source: Type:  mergency Room	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric	
Field 25: Description:  Beginning Position: Length: Field 26: Description:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X.	Data Source: Type: mergency Roomssociated with re	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301	Data Source: Type: mergency Roomssociated with re	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position: Length:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12	Data Source: Type: mergency Room ssociated with re Data Source: Type: Type: Data Source: Type:	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position: Length: Field 27:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT	Dutpatient Services ssociated with respective to the property of the property	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position: Length:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, A	Data Source: Type: mergency Roomssociated with re Data Source: Type: Data Source: Type:	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  e Amount. Calculated using MEDPAR algorithm.	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position: Length: Field 27: Description:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w	Data Source: Type: mergency Room ssociated with re Data Source: Type: Type:  Data Source: Type:  Company the content of the co	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X.	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position: Length: Field 27: Description: Beginning Position:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313	Data Source: Type: mergency Room ssociated with re Data Source: Type:  Data Source: Type:  Cube in the content of the content	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X.  Calculated	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position: Length: Field 27: Description: Beginning Position: Length: Length:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12	Data Source: Type: mergency Room ssociated with re Data Source: Type: Type:  Data Source: Type:  Company the content of the co	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X.	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12 PRO_FEE_AMOUNT	Data Source: Type: mergency Room ssociated with re Data Source: Type:  Data Source: Type:  mbulance Charg with revenue code Data Source: Type:	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X.  Calculated Numeric	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position: Length: Field 27: Description: Beginning Position: Length: Length:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12 PRO_FEE_AMOUNT Ancillary Service Charge, P	Data Source: Type: mergency Room ssociated with re Data Source: Type:  Data Source: Type:  Institute Charg with revenue code Data Source: Type:	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X.  Calculated Numeric  Charge Amount. Calculated using MEDPAR	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12 PRO_FEE_AMOUNT Ancillary Service Charge, P algorithm. Sum of charges a	Data Source: Type: mergency Room ssociated with re Data Source: Type:  Data Source: Type:  Institute Charg with revenue code Data Source: Type:	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X.  Calculated Numeric	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: Description:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12 PRO_FEE_AMOUNT Ancillary Service Charge, P algorithm. Sum of charges a 096X-098X.	Data Source: Type: mergency Room ssociated with re Data Source: Type: Type:  I mbulance Charg with revenue code Data Source: Type: Type: Type: Type: Type: Total Source: Type:	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue center 054X. Calculated Numeric	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: Description:  Beginning Position:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12 PRO_FEE_AMOUNT Ancillary Service Charge, P algorithm. Sum of charges a 096X-098X. 325	Data Source: Type:  mergency Room ssociated with re  Data Source: Type:  mbulance Chargo th revenue code Data Source: Type:  rofessional Fee Cossociated with re  Data Source:	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated	
Field 25: Description:  Beginning Position: Length: Field 26: Description:  Beginning Position: Length: Field 27: Description: Beginning Position: Length: Field 28: Description:	OP_AMOUNT Ancillary Service Charge, O algorithm. Sum of charges a 049X-050X. 289 12 ER_AMOUNT Ancillary Service Charge, E algorithm. Sum of charges a 045X. 301 12 AMBULANCE_AMOUNT Ancillary Service Charge, A Sum of charges associated w 313 12 PRO_FEE_AMOUNT Ancillary Service Charge, P algorithm. Sum of charges a 096X-098X.	Data Source: Type: mergency Room ssociated with re Data Source: Type: Type:  I mbulance Charg with revenue code Data Source: Type: Type: Type: Type: Type: Total Source: Type:	es Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center  Calculated Numeric  e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 054X. Calculated Numeric  Charge Amount. Calculated using MEDPAR evenue center 054X. Calculated Numeric	

Page 35

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

DSHS Document # E25-14163 Last Updated: February, 2025

Field 29:	ORG	GAN_AMOUNT					
Description:	Ancillary Service Charge, Organ Acquisition Charge Amount. Calculated using MEDPAR						
Description		algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center					
		X, 089X.		,			
<b>Beginning Position:</b>	337	Data Source:	Calcula	ited			
Length:	12	Type:	Numeri				
Field 30:		D_AMOUNT		·			
Description:		llary Service Charge, End Stage Renal I	Dialysis C	Charge Amount, Calculated using			
<b>F</b>		PPAR algorithm. Sum of charges association					
		nue center 080X, 082X-085X, 088X		Tevenue codes outer than 5100 5212,			
<b>Beginning Position:</b>	349	Data Source:	Calcula	ited			
Length:	12	Type:	Numeri				
Field 31:	CLINIC_AMOUNT						
Description:			e Amour	nt. Calculated using MEDPAR algorithm.			
Description.		of charges associated with revenue code					
<b>Beginning Position:</b>	361	Data Source:	Calcula				
Length:	12	Type:	Numeri				
Field 32:		CUR_CODE_1	Numen				
Description:		describing a significant event relating t	o tho oloi	im			
Coding Scheme:	1	Auto accident	40	Scheduled date of admission			
Couning Scheme.	2	No Fault Insurance Involved - Including Auto Accident/Other	41	Date of first test of pre-admission testing			
	3	Accident/ Tort Liability	42	Date of discharge (hospice only)			
	4	Accident/ Employment Related	43	Scheduled date of canceled surgery			
	5	Other accident	44	Date treatment started - OT			
	6	Crime Victim	45	Date treatment started - ST			
	9 10	Start of Infertility Treatment Cycle Last Menstrual Period	46 47	Date treatment started - Cardiac rehabilitation Date cost outlier status begins			
	11	Onset of Symptoms/ Illness	A1	Birthdate - Insured A			
	12	Date of Onset for a Chronically Dependent Individual	A2	Effective Date - Insured A Policy			
	16 17	Date of Last Therapy Date Outpatient OT Plan Established or Last	A3 A4	Payer A benefits exhausted Split Bill Date			
	18	Reviewed Date of Retirement - Patient/Beneficiary	B1	Birthdate - Insured B			
	19	Date of Retirement - Spouse	B2	Effective date - Insured B Policy			
	20	Date Guarantee of Payment Began	B3	Payer B benefits exhausted			
	21	Date UR Notice Received	C1	Birthdate - Insured C			
	22	Date Active Care Ended	C2	Effective date - Insured C Policy			
	24	Date Insurance Denied	C2	Payer C benefits exhausted			
	25		DR	Katrina disaster related			
	26	Date Benefits Terminated by Primary Payer Date SNF Bed Became Available	E1	Birthdate - Insured D			
	27		E1 E2	Effective date - Insured D Policy			
	21	Date Home Health Plan Established or Last Reviewed	E2	Effective date - Insured D Policy			
	28	Date Comprehensive Outpatient Rehabilitation Plan Established or Last Reviewed	E3	Payer D benefits exhausted			
	29	Date Outpatient PT Plan established or last reviewed	F1	Birthdate - Insured E			
	30	Date Outpatient ST Plan established or last reviewed	F2	Effective date - Insured E Policy			
	31	Date beneficiary notified of intent to bill (accommodations)	F3	Payer E benefits exhausted			
	32	Date beneficiary notified of intent to bill (procedures or treatments)	G1	Birthdate - Insured F			
	37	Date of inpatient hospital discharge for non- covered transplant patients	G2	Effective date - Insured F Policy			
	38	Date treatment started for home IV therapy	G3	Payer F benefits exhausted			
	39	Date discharged on a continuous course if IV		•			
<b>Beginning Position:</b>	373	therapy  Data Source:	Claim				
	2		Alphan	umaric			
Length:		Type:	Aipiian	uniene			
Field 33:	UCC	CUR_DAY_1					
DSHS/THCIC		Page 36		DSHS Document # E25-14163			
WWW DOUG TEVAC	CON	TULCIC TUSE TO		Last Undated: February 2025			

WWW.DSHS.TEXAS.GOV/THCIC

DSHS Document # E25-14163 Last Updated: February, 2025 Page 36

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:375Data Source:CalculatedLength:4Type:Alphanumeric

Field 34: OCCUR\_CODE\_2

**Description:** Code describing a significant event relating to the claim.

**Coding Scheme:** Same as Field OCCUR\_CODE\_1.

**Beginning Position:** 379 **Data Source:** Claim

**Length:** 2 **Type:** Alphanumeric

Field 35: OCCUR\_DAY\_2

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:381Data Source:CalculatedLength:4Type:Alphanumeric

Field 36: OCCUR\_CODE\_3

**Description:** Code describing a significant event relating to the claim.

**Coding Scheme:** Same as Field OCCUR\_CODE\_1.

**Beginning Position:** 385 **Data Source:** Claim **Length:** 2 **Type:** Alphanumeric

Field 37: OCCUR\_DAY\_3

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:387Data Source:CalculatedLength:4Type:Alphanumeric

Field 38: OCCUR CODE 4

**Description:** Code describing a significant event relating to the claim.

**Coding Scheme:** Same as Field OCCUR\_CODE\_1.

**Beginning Position:** 391 **Data Source:** Claim **Length:** 2 **Type:** Alphanumeric

Field 39: OCCUR\_DAY\_4

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:393Data Source:CalculatedLength:4Type:Alphanumeric

Field 40: OCCUR\_CODE\_5

**Description:** Code describing a significant event relating to the claim.

**Coding Scheme:** Same as Field OCCUR CODE 1.

**Beginning Position:** 397 **Data Source:** Claim **Length:** 2 **Type:** Alphanumeric

Field 41: OCCUR\_DAY\_5

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:399Data Source:CalculatedLength:4Type:Alphanumeric

Field 42: OCCUR\_CODE\_6

**Description:** Code describing a significant event relating to the claim.

**Coding Scheme:** Same as Field OCCUR CODE 1.

**Beginning Position:** 403 **Data Source:** Claim **Length:** 2 **Type:** Alphanumeric

Field 43: OCCUR\_DAY\_6

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

Beginning Position:405Data Source:CalculatedLength:4Type:Alphanumeric

Field 44: OCCUR\_CODE\_7

**Description:** Code describing a significant event relating to the claim.

**Coding Scheme:** Same as Field OCCUR\_CODE\_1.

Beginning Position:409Data Source:ClaimLength:2Type:Alphanumeric

Field 45: OCCUR DAY 7

**Description:** Occurrence Day *equals* Occurrence Date *minus* Admission/Start of Care Date.

DSHS/THCIC

WWW.DSHS.TEXAS.GOV/THCIC

Page 37

DSHS Document # E25-14163

Last Updated: February, 2025

<b>Beginning Position:</b>	411	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 46:	OCCUR_CODE_8		
Description:	Code describing a significa		to the claim.
Coding Scheme:	Same as Field OCCUR_CC	_	
<b>Beginning Position:</b>	415	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 47:	OCCUR_DAY_8		
<b>Description:</b>			nus Admission/Start of Care Date.
<b>Beginning Position:</b>	417	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 48:	OCCUR_CODE_9		
<b>Description:</b>	Code describing a significa		to the claim.
Coding Scheme:	Same as Field OCCUR_CC		
<b>Beginning Position:</b>	421	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 49:	OCCUR_DAY_9		
<b>Description:</b>		currence Date min	nus Admission/Start of Care Date.
<b>Beginning Position:</b>	423	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 50:	OCCUR_CODE_10		
<b>Description:</b>	Code describing a significa	nt event relating t	to the claim.
Coding Scheme:	Same as Field OCCUR_CC	DDE_1.	
<b>Beginning Position:</b>	427	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 51:	OCCUR_DAY_10		
<b>Description:</b>	Occurrence Day equals Occ	currence Date min	nus Admission/Start of Care Date.
<b>Beginning Position:</b>	429	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 52:	OCCUR_CODE_11		
<b>Description:</b>	Code describing a significa	nt event relating t	to the claim.
Coding Scheme:	Same as Field OCCUR_CC	DDE_1.	
<b>Beginning Position:</b>	433	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 53:	OCCUR_DAY_11		
<b>Description:</b>	Occurrence Day equals Occ	currence Date min	nus Admission/Start of Care Date.
<b>Beginning Position:</b>	435	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 54:	OCCUR_CODE_12		
<b>Description:</b>	Code describing a significa		to the claim.
Coding Scheme:	Same as Field OCCUR_CC		
<b>Beginning Position:</b>	439	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 55:	OCCUR_DAY_12		
<b>Description:</b>	• •		nus Admission/Start of Care Date.
<b>Beginning Position:</b>	441	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 56:	OCCUR_SPAN_CODE_1		
<b>Description:</b>			to the claim that may affect payer processing.
Coding Scheme:	70 Qualifying stay dates (for	SNF use only)	78 SNF prior stay dates
	71 Prior stay dates		80 Prior Same SNF prior stay dates for Payment Ban Purposes
	72 First/Last Visit		81 Antepartum Days at Reduced Level of Care
	73 Benefit eligibility period		M0 QIO/UR approved stay dates
	<ul><li>74 Noncovered level of care/</li><li>75 SNF level of care</li></ul>	Leave of absence	M1 Provider liability - no utilization
	<ul><li>75 SNF level of care</li><li>76 Patient Liability Period</li></ul>		M2 Inpatient respite dates M3 ICF level of care
	I adom Emonity 1 onod		202 20101 01 0440
DSHS/THCIC			DSHS Document # F25-1/163

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC Page 38

	77 Provider Liability - Utilization Charged	M4 Residential level of care
<b>Beginning Position:</b>	445 Data Source	
Length:	2 <b>Type:</b>	Alphanumeric
Field 57:	OCCUR_SPAN_FROM_1	
<b>Description:</b>	Occurrence Span From equals Beginning	Date of Event <i>minus</i> Admission/Start of Care Date.
<b>Beginning Position:</b>	447 <b>Data Source</b>	e: Calculated
Length:	6 Type:	Alphanumeric
Field 58:	OCCUR_SPAN_THRU_1	•
<b>Description:</b>		te of Event minus Admission/Start of Care Date.
Beginning Position:	453 Data Source	
Length:	6 Type:	Alphanumeric
Field 59:	OCCUR_SPAN_CODE_2	1 tiphanamene
Description:		ng to the claim that may affect payer processing.
	Same as Field OCCUR_SPAN_CODE_1	
Coding Scheme:		
<b>Beginning Position:</b>	459 Data Source	
Length:	2 Type:	Alphanumeric
Field 60:	OCCUR_SPAN_FROM_2	
<b>Description:</b>		Date of Event <i>minus</i> Admission/Start of Care Date.
<b>Beginning Position:</b>	461 Data Source	
Length:	6 <b>Type:</b>	Alphanumeric
Field 61:	OCCUR_SPAN_THRU_2	
<b>Description:</b>	Occurrence Span Thru equals Ending Da	te of Event minus Admission/Start of Care Date.
<b>Beginning Position:</b>	467 Data Source	
Length:	6 Type:	Alphanumeric
Field 62:	OCCUR_SPAN_CODE_3	r ·· · · ·
Description:		ng to the claim that may affect payer processing.
Coding Scheme:	Same as Field OCCUR_SPAN_CODE_1	
Beginning Position:	473 Data Source	
Length:	v i	Alphanumeric
Field 63:	OCCUR_SPAN_FROM_3	
Description:		Date of Event <i>minus</i> Admission/Start of Care Date.
<b>Beginning Position:</b>	475 <b>Data Source</b>	
Length:	6 Type:	Alphanumeric
Field 64:	OCCUR_SPAN_THRU_3	
<b>Description:</b>		te of Event minus Admission/Start of Care Date.
<b>Beginning Position:</b>	481 <b>Data Source</b>	e: Calculated
Length:	6 <b>Type:</b>	Alphanumeric
Field 65:	OCCUR_SPAN_CODE_4	
<b>Description:</b>	Code describing a significant event relative	ng to the claim that may affect payer processing.
Coding Scheme:	Same as Field OCCUR_SPAN_CODE_1	
Beginning Position:	487 Data Source	
Length:	2 <b>Type:</b>	Alphanumeric
Field 66:	OCCUR SPAN FROM 4	- apaminativ
Description:		Date of Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:	489 Data Sourc	
Length:	6 Type:	Alphanumeric
Field 67:	OCCUR_SPAN_THRU_4	
Description:		te of Event <i>minus</i> Admission/Start of Care Date.
<b>Beginning Position:</b>	495 <b>Data Sourc</b>	
Length:	6 Type:	Alphanumeric
Field 68:	CONDITION_CODE_1	
Descriptions	Code describing a condition relating to th	
Description:		A0 TRICARE external partnership program
Coding Scheme:	01 Military service related	
	02 Condition is employment related	A1 EPSDT/CHAP
	O2 Condition is employment related O3 Patient covered by insurance not reflected h	A1 EPSDT/CHAP here A2 Physically handicapped children's program
	O2 Condition is employment related O3 Patient covered by insurance not reflected by O4 Information only bill.	A1 EPSDT/CHAP here A2 Physically handicapped children's program A3 Special Federal Funding
Coding Scheme:	O2 Condition is employment related O3 Patient covered by insurance not reflected h	A1 EPSDT/CHAP here A2 Physically handicapped children's program A3 Special Federal Funding A4 Family planning
	O2 Condition is employment related O3 Patient covered by insurance not reflected by O4 Information only bill. O5 Lien has been filed  Page 30	A1 EPSDT/CHAP here A2 Physically handicapped children's program A3 Special Federal Funding

06	ESRD patient in first 18 months of entitlement	A5	Disability
00	covered by EGHP Treatment of non-terminal condition for hospice	AS	Disability
07	patient	A6	Vaccines/Medicare 100% payment
08	Beneficiary would not provide information concerning other insurance coverage	A9	Second opinion surgery
09	Neither patient or spouse is employed	AA	Abortion performed due to rape
10	Patient and/or spouse is employed but no EGHP exists	AB	Abortion performed due to incest
11	Disabled beneficiary but no LGHP coverage	AC	Abortion performed due to serious fatal genetic
11	exists	AC	defect, deformity, or abnormality Abortion performed due to life endangering
17	Patient is homeless	AD	physical condition
18	Maiden name retained	AE	Abortion performed due to physical health of mother that is not life endangering
19	Child retains mother's name	AF	Abortion performed due to emotional/psychological health of mother
20	Beneficiary requested billing	AG	Abortion performed due to social or economic reasons
21	Billing for denial notice	AH	Elective abortion
22	Patient on multiple drug regimen	AI	Sterilization
23 24	Home care giver available Home IV patient also receiving HHA services	AJ	Payer responsible for co-payment
25	Patient is non-US resident	AK	Air ambulance required
26	VA eligible patient chooses to receive services in	AL	Specialized treatment/bed unavailable
20	a Medicare certified facility	71L	1
27	Patient referred to a sole community hospital for a diagnostic laboratory test Patient and/or spouse's EGHP is secondary to	AM	Non-emergency medically necessary stretcher transport required
28	Medicare	AN	Pre-admission screening not required
29	Disabled beneficiary and/or family member's LGHP is secondary to Medicare	В0	Medicare coordinated care demonstration claim
30	Non-research services provided to patients enrolled in a qualified clinical trial	B1	Beneficiary is ineligible for demonstration program
31	Patient is student (full time - day)	В4	Admission unrelated to discharge on same day
32	Patient is student (cooperative/work study program)	BP	Gulf Oil Spill of 2010
33	Patient is student (full time - night)	C1	Approved as billed
34	Patient is student (part-time)	C2	Automatic approval as billed based on focused review
36	General care patient in a special unit	C3	Partial approval
37	Ward accommodation at patient request	C4	Admission/services denied
38	Semi-private room not available	C5	Postpayment review applicable
39	Private room medically necessary	C6	Admission Preauthorization
40	Same day transfer	C7	Extended Authorization
41	Partial hospitalization	D0	Changes to Service Dates
42	Continuing care not related to inpatient admission	D1	Changes to Charges
43	Continuing care not provided within prescribed postdischarge window	D3	Second or Subsequent Interim PPS Bill
44	Inpatient admission changed to outpatient	D4	Change in clinical codes (ICD) for diagnosis and/or procedure codes.
45	Ambiguous Gender Category	D5	Cancel to correct Insured's ID or Provider ID
46	Non-availability statement on file	D6	Cancel Only to Repay a Duplicate or OIG Overpayment
47	Transfer from another Home Health Agency	D7	Change to Make Medicare the Secondary Payer
48	Psychiatric residential treatment centers for	D8	Change to Make Medicare the Primary Payer
49	children and adolescents (RTCs) Product replacement within product lifecycle	D9	Any Other Change
50	Product Replacement for Known Recall of a Product	DR	Disaster related
51	Attestation of Unrelated Outpatient Nondiagnostic Services	E0	Changes in Patient Status
52	Out of Hospice Service Area	G0	Distinct Medical Visit
53	Initial placement of a medical device provided as part of a clinical trial or a free sample	H0	Delayed Filing, Statement of Intent Submitted

	54	No Skilled Home Health V Policy Exception Documen	•	H2	Discharge by a Hospice Provider for Cause
	<i></i>	Health Agency		112	December of CI Disable Compatible
	55 56	SNF bed not available		H3	Reoccurrence of GI Bleed Comorbid Category
	56	Medical appropriateness		H4	Reoccurrence of Pneumonia Comorbid Category
	57 58	SNF readmission Terminated Medicare+Cho	ice organization	H5 P1	Reoccurrence of Pericarditis Comorbid Category  Do not Resuscitate Order (DNR)
	59	enrollee Non-primary ESRD facility	7	P7	Direct Inpatient Admission from Emergency
	60	Day outlier		R1	Room Request for reopening Reason Code - Mathematical or Computational Michael
	61	Cost outlier		R2	Mathematical or Computational Mistake Request for reopening Reason Code -Inaccurate Data Entry
	66	Provider does not wish cost	t outlier payment	R3	Request for reopening Reason Code - Misapplication of a Fee Schedule
	67	Beneficiary elects not to us (LTR) days	e life time reserve	R4	Request for reopening Reason Code - Computer Errors
	68	Beneficiary elects to use lift days	e time reserve (LTR)	R5	Request for reopening Reason Code - Incorrectly Identified Duplicate Claim
	69	IME/DGME/N&AH Paymo	ent Only	R6	Request for reopening Reason Code - Other Clerical Errors or Minor Errors and Omissions not Specified in R1-R5 above
	70	Self-administered anemia n	nanagement drug	R7	Request for reopening Reason Code - Corrections other than clerical errors
	71	Full care in unit		R8	Request for reopening Reason Code - New and Material Evidence
	72	Self care in unit		R9	Request for reopening Reason Code - Faulty Evidence
	73	Self care training		WO	United Mine Workers of America (UMWA) Demonstration Indicator
	74	Home		W2	Duplicate of Original Bill
	75	Home - 100% reimburseme	ent	W3	Level I Appeal
	76	Back-up in facility dialysis		W4	Level II Appeal
	77	Provider accepts or is oblig contractual arrangement or payment by a primary paye	law to accept r as payment	W5	Level III Appeal
	78	New coverage not impleme	•		
	79	CORF services provided of			
	80 81	Home dialysis - nursing fac C-section/Inductions <39 w Necessity	•		
	82	C-section/Inductions <39 w	eeks-Elective		
	83	C-section/Inductions 39 we	eks or greater		
	84 85	Dialysis for Acute Kidney Delayed Recertification of	• •		
	86	Illness Additional Hemodialysis T	reatment with Medica	1	
<b>Beginning Position:</b>	501	Justification	Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 69:		DITION_CODE_2	турст	Tipnana	more
Description:		describing a condition	relating to the cla	im	
Coding Scheme:		as Field CONDITION			
Beginning Position:	503	us riola corteriort	Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 70:		DITION_CODE_3	J 1	1	_
<b>Description:</b>		describing a condition	relating to the cla	im.	
Coding Scheme:		as Field CONDITION		•	
<b>Beginning Position:</b>	505		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 71:		DITION_CODE_4	V 1		
<b>Description:</b>		describing a condition	relating to the cla	im.	
DSHS/THCIC			— Page 41 —		DSHS Document # E25-14163

WWW.DSHS.TEXAS.GOV/THCIC

Coding Scheme:	Same	e as Field CONDITION	CODE 1.		
Beginning Position:	507		Data Source:	Claim	
Length:	2		Type:	Alphanu	imeric
Field 72:	CON	NDITION_CODE_5		•	
<b>Description:</b>	Code	describing a condition	relating to the cla	aim.	
Coding Scheme:	Same	e as Field CONDITION	I_CODE_1.		
<b>Beginning Position:</b>	509		Data Source:	Claim	
Length:	2		Type:	Alphanu	ımeric
Field 73:		NDITION_CODE_6			
<b>Description:</b>		describing a condition		aim.	
<b>Coding Scheme:</b>		e as Field CONDITION	_		
<b>Beginning Position:</b>	511		Data Source:	Claim	
Length:	2		Type:	Alphanu	imeric
Field 74:		DITION_CODE_7			
<b>Description:</b>		describing a condition		aim.	
<b>Coding Scheme:</b>		e as Field CONDITION	_		
<b>Beginning Position:</b>	513		Data Source:	Claim	
Length:	2		Type:	Alphanu	ımeric
Field 75:		DITION_CODE_8			
<b>Description:</b>		describing a condition		aim.	
Coding Scheme:		e as Field CONDITION		~	
<b>Beginning Position:</b>	515		Data Source:	Claim	
Length:	2	TIE CODE 4	Type:	Alphanu	imeric
Field 76:		UE_CODE_1	.1		
Description:		describing information			
Coding Scheme:	01 02	Most common semi-privat Hospital has no semi-priva		58 59	Arterial blood gas Oxygen saturation
	04	Inpatient professional com			HHA branch MSA
		are combined billed			
	05	Professional component in also billed separately to car		61	Place of Residence where service is furnished (HHA and hospice)
	06	Blood deductible	IIICI	66	Medicaid spend down amount
	08	Life time reserve amount is	n the first calendar	67	Peritoneal dialysis
	00	year	C . 1 1	60	EDO 1
	09 10	Coinsurance amount in the Lifetime reserve amount in	•	68 69	EPO-drug State charity care percentage
	10	year	the second calendar	0)	State charity care percentage
	11	Coinsurance amount in the			Covered Days
	12	Working aged beneficiary/ group health plan	spouse with employer	r 81	Non-covered Days
	13	ESRD beneficiary in a Me	dicare coordination	82	Co-insurance Days
		period with an employer gr	roup health plan		•
	14	No fault, including auto/of	her	83	Lifetime Reserve Days
	15	Worker's compensation		84	Shorter Duration Hemodialysis
	16	Public health service (PHS	6) or other federal	A0	Special zip code reporting
	21	agency Catastrophic		A1	Deductible payer A
	22	Surplus		A2	Coinsurance payer A
	23	Recurring monthly income		A3	Estimated responsibility payer A
	24	Medicaid Rate Code		A4	Covered self-administrable drugs - emergency
	25	Offset to the patient - payn	nent amount -	A5	Covered self-administrable drugs - administrable
		prescription drugs			in form and situation furnished to patient
	26	Offset to the patient - payn	nent amount - hearing	A6	Covered self-administrable drugs - diagnostic
	27	and ear services Offset to the patient - payn	nent amount - vision	A7	study and other Co-payment payer A
	21	and eye services	nem amount - vision	11/	co pajmon pajor 11
	28	Offset to the patient - payn	nent amount - dental	A8	Patient weight
	20	Services	nont amount	4.0	Datient height
	29	Offset to the patient - payn chiropractic services	nem amount -	A9	Patient height
	30	Preadmission testing		AA	Regulatory surcharges, assessments, allowances
					or health care related taxes - payer A

DSHS/THCIC
WWW.DSHS.TEXAS.GOV/THCIC
Page 42
DSHS Document # E25-14163
Last Updated: February, 2025

	31	Patient Liability Amount		AB	Other assessments or allowances (e.g., medical
					education) - payer A
	32	Multiple patient ambulance trans	•	B1	Deductible payer B
	33	Offset to the patient - payment a services	mount - podiatri	c B2	Coinsurance payer B
	34	Offset to the patient - payment a medical services	mount - other	В3	Estimated responsibility payer B
	35	Offset to the patient - payment a	mount - health	В7	Co-payment payer B
	37	insurance premiums Units of blood furnished		BA	Regulatory surcharges, assessments, allowances
	38	Blood deductible units		ВВ	or health care related taxes - payer B Other assessments or allowances (e.g., medical
					education) - payer B
	39	Units of blood replaced		C1	Deductible payer C
	40	New coverage not implemented	by HMO	C2	Coinsurance payer C
	41	Black lung		C3	Estimated responsibility payer C
	42	VA		C7	Co-payment payer C
	43	Disabled beneficiary under age 6	65 with LGHP	CA	Regulatory surcharges, assessments, allowances or health care related taxes - payer C
	44	Amount provider agreed to acceptage when this amount is less the higher than payment received		СВ	Other assessments or allowances (e.g., medical education) - payer C
	45	Accident hour		D3	Patient estimated responsibility
	46	Number of grace days		D4	Clinical Trial Number Assigned by NLM/NIH
	47	Any liability insurance		D5	Last Kt/V Reading
	48	Hemoglobin reading		FC	Patient Paid Amount
	49	Hematocrit reading		FD	Credit Received from the Manufacturer for a Medical Device
	50	Physical Therapy visits		G8	Facility where Inpatient Hospice Service is Delivered
	51	Occupational Therapy visits		Y1	Part A Demonstration Payment
	52	Speech Therapy visits		Y2	Part B Demonstration Payment
	53	Cardiac rehab visits		Y3	Part B Coinsurance
	54	Newborn birth weight in grams		Y4	Conventional Provider Payment
					•
	55	Eligibility threshold for charity of	care	Y5	Part B Deductible
	56	Skilled nurse - home visit hours			
	57	Home health aide - home visit ho	ours		
<b>Beginning Position:</b>	517		ta Source:	Claim	
Length:	2	Ty	pe:	Alphanu	meric
Field 77:	VAL	UE_AMOUNT_1			
<b>Description:</b>	Dolla	r amount that may be affect	ted.		
<b>Beginning Position:</b>	519	Dat	ta Source:	Claim	
Length:	9	Tvi	pe:	Alphanu	meric
Field 78:		UE_CODE_2	•		
Description:		describing information that	t may affect r	aver nro	pessing
Coding Scheme:		as Field Value CODE 1.	t may arreet p	ayer proc	coonig.
Beginning Position:	528		ta Source:	Claim	
Length:	2	Ty		Alphanu	maria
			pe.	Aipiiaiiu	illeric
Field 79:		UE_AMOUNT_2	44		
Description:		r amount that may be affect		CI.	
<b>Beginning Position:</b>	530		ta Source:	Claim	
Length:	9	$Ty_{I}$	pe:	Alphanu	meric
Field 80:		UE_CODE_3			
<b>Description:</b>	Code	describing information that	t may affect p	ayer proc	essing.
Coding Scheme:		as Field Value_CODE_1.	•	-	
<b>Beginning Position:</b>	539		ta Source:	Claim	
Length:				Alphanu	meric
Field 81:	2	I VI			
	2 <b>VAL</b>	Tyj UE AMOUNT 3	pc.	Tipnana	
	VAL	UE_AMOUNT_3	_	Тириши	
<b>Description:</b>	VAL		_	Tilpiidiid	
Description:  DSHS/THCIC	<b>VAL</b> Dolla	UE_AMOUNT_3 r amount that may be affect	ted.	Tipituitu	DSHS Document # E25-14163
Description:	<b>VAL</b> Dolla	UE_AMOUNT_3 r amount that may be affect	_	7 IIpinunu	

**Beginning Position:** 541 **Data Source:** Claim Length: 9 Type: Alphanumeric **Field 82:** VALUE CODE 4 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value\_CODE\_1. **Beginning Position:** 550 **Data Source:** Claim Length: Alphanumeric Type: Field 83: VALUE\_AMOUNT\_4 **Description:** Dollar amount that may be affected. **Beginning Position:** Data Source: 552 Claim Length: 9 Type: Alphanumeric VALUE CODE 5 Field 84: **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 561 **Data Source:** Claim Length: Type: Alphanumeric Field 85: VALUE AMOUNT 5 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 563 Claim Length: Type: Alphanumeric **Field 86:** VALUE CODE 6 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 572 **Data Source:** Claim Length: Type: Alphanumeric **Field 87:** VALUE AMOUNT 6 Dollar amount that may be affected. **Description: Beginning Position:** 574 **Data Source:** Claim Length: Type: Alphanumeric Field 88: VALUE CODE 7 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 583 **Data Source:** Claim Length: Type: Alphanumeric Field 89: VALUE AMOUNT 7 **Description:** Dollar amount that may be affected. **Beginning Position:** 585 **Data Source:** Claim Length: Type: Alphanumeric Field 90: VALUE CODE 8 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value CODE 1. **Data Source: Beginning Position:** 594 Claim Length: Type: Alphanumeric Field 91: VALUE\_AMOUNT\_8 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 596 Claim Length: 9 Type: Alphanumeric Field 92: VALUE CODE 9 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value\_CODE\_1. **Beginning Position:** 605 **Data Source:** Claim Length: Alphanumeric Type: Field 93: VALUE AMOUNT 9 **Description:** Dollar amount that may be affected.

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC

**Beginning Position:** 607 **Data Source:** Claim Length: 9 Type: Alphanumeric Field 94: VALUE CODE 10 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value\_CODE\_1. **Beginning Position: Data Source:** 616 Claim Length: Alphanumeric Type: Field 95: VALUE\_AMOUNT\_10 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 618 Claim Length: 9 Type: Alphanumeric VALUE CODE 11 Field 96: **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 627 **Data Source:** Claim Length: 2 Type: Alphanumeric **Field 97:** VALUE\_AMOUNT\_11 **Description:** Dollar amount that may be affected. **Beginning Position: Data Source:** 629 Claim Length: Type: Alphanumeric Field 98: VALUE\_CODE\_12 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 638 **Data Source:** Claim Length: Type: Alphanumeric Field 99: VALUE\_AMOUNT\_12 Dollar amount that may be affected. **Description: Beginning Position: Data Source:** 640 Claim Length: 9 Type: Alphanumeric

# CHARGES DATA FILE

	22.00				
Field 1:	RECORD_ID				
Description:		d Identification Number. Unique number arter 2002. Does NOT match the RECOF			
<b>Beginning Position:</b>	1	Data Source:	Assign	· · · · · · · · · · · · · · · · · · ·	
Length:	12 <b>Type:</b> Alphanumeric				
		7.1	Aipiiaii	umerie	
Field 2:		ENUE_CODE	1	211 2 1212 1 1 2	
Description:		corresponding to each specific accommo	dation, a	ncillary service or billing calculation	
<b>Coding Scheme:</b>	oloo	I to the services being billed. All-inclusive room charges plus ancillary	0527	Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health	
	0101	All-inclusive room charges	0528	Shortage Area Freestanding Clinic – Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident)	
	0110	Room charges for private rooms - general	0529	Freestanding Clinic - other	
	0111	Room charges for private rooms - medical/surgical/GYN	0530	Osteopathic service - general	
	0112	Room charges for private rooms - obstetrics	0531	Osteopathic service - therapy	
	0113	Room charges for private rooms - pediatric	0539	Osteopathic service - other	
	0114	Room charges for private rooms - psychiatric	0540	Ambulance service - general	
	0115	Room charges for private rooms - hospice	0541	Ambulance service - supplies	
	0116 0117	Room charges for private rooms - detoxification	0542	Ambulance service - medical transport	
	0117	Room charges for private rooms - oncology Room charges for private rooms - rehabilitation	0543 0544	Ambulance service - heart mobile Ambulance service - oxygen	
	0119	Room charges for private rooms - rehabilitation	0545	Ambulance service - air ambulance	
	0110	Room charges for semi-private rooms - general	0546	Ambulance service - neonatal	
	0121	Room charges for semi-private rooms -	0547	Ambulance service - pharmacy	
	0122	medical/surgical/GYN Room charges for semi-private rooms -	0548	Ambulance service - telephone transmission	
		obstetrics		EKG	
	0123	Room charges for semi-private rooms - pediatric	0549	Ambulance service - other	
	0124	Room charges for semi-private rooms - psychiatric	0550	Skilled nursing - general	
	0125	Room charges for semi-private rooms - hospice	0551	Skilled nursing - visit charge	
	0126	Room charges for semi-private rooms - detoxification	0552	Skilled nursing - hourly charge	
	0127	Room charges for semi-private rooms - oncology	0559	Skilled nursing - other	
	0128	Room charges for semi-private rooms - rehabilitation	0560	Medical social services - general	
	0129	Room charges for semi-private rooms - other	0561	Medical social services - visit charge	
	0130	Room charges for semi-private - 3/4 beds - rooms - general	0562	Medical social services - hourly charge	
	0131	Room charges for semi-private - 3/4 beds - rooms - medical/surgical/GYN	0569	Medical social services - other	
	0132 0133	Room charges for semi-private - 3/4 beds - rooms - obstetrics  Room charges for semi-private - 3/4 beds -	0570	Home health aide - general	
	0134	rooms - pediatric Room charges for semi-private - 3/4 beds -	0571 0572	Home health aide - visit charge  Home health aide - hourly charge	
	0135	rooms - psychiatric Room charges for semi-private - 3/4 beds -	0579	Home health aide - other	
	0136	rooms - hospice Room charges for semi-private - 3/4 beds -	0580	Other visits (home health) - general	
	0137	rooms - detoxification Room charges for semi-private - 3/4 beds -	0581	Other visits (home health) - visit charge	
	0138	rooms - oncology Room charges for semi-private - 3/4 beds -	0582	Other visits (home health) - hourly charge	
	0139	rooms - rehabilitation Room charges for semi-private - 3/4 beds -	0583	Other visits (home health) - assessment	
	0140	rooms - other Room charges for private (deluxe) rooms - general	0589	Other visits (home health) - other	

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC

0141	Room charges for private (deluxe) rooms - medical/surgical/GYN	0590	Units of service (home health) - general
0142	Room charges for private (deluxe) rooms -	0600	Oxygen (home health) - general
0143	obstetrics Room charges for private (deluxe) rooms -	0601	Oxygen (home health) - stat/equip/supply or
0144	Room charges for private (deluxe) rooms -	0602	contents Oxygen (home health) - stat/equip/supply under
0145	psychiatric Room charges for private (deluxe) rooms -	0603	1 liter per minute Oxygen (home health) - stat/equip/supply over 4
0146	hospice Room charges for private (deluxe) rooms -	0604	liters per minute Oxygen (home health) - portable add-in
0147	detoxification Room charges for private (deluxe) rooms -	0609	Oxygen (home health) - other
0148	oncology Room charges for private (deluxe) rooms -	0610	Magnetic Resonance Technology (MRT) - MRI
0149	rehabilitation Room charges for private (deluxe) rooms -	0611	- general Magnetic Resonance Technology (MRT) - MRI
0150	other Room charges for ward rooms - general	0612	- brain (including brain stem) Magnetic Resonance Technology (MRT) - MRI
0151	Room charges for ward rooms -	0614	- spinal cord (including spine) Magnetic Resonance Technology (MRT) - MRI
0152	medical/surgical/GYN Room charges for ward rooms - obstetrics	0615	- other Magnetic Resonance Technology (MRT) -
0153	Room charges for ward rooms - pediatric	0616	MRA – head and neck Magnetic Resonance Technology (MRT) -
0154	Room charges for ward rooms - psychiatric	0618	MRA – lower extremities Magnetic Resonance Technology (MRT) -
0155	Room charges for ward rooms - hospice	0619	MRA – other Magnetic Resonance Technology (MRT) -
0156	Room charges for ward rooms - detoxification	0621	Other MRT Medical/surgical supplies - incident to radiology
0157	Room charges for ward rooms - oncology	0622	Medical/surgical supplies - incident to radiology
0137	Room charges for ward rooms oneology	0623	diagnostic services  Medical/surgical supplies - surgical dressings
0158	Room charges for ward rooms - rehabilitation	0624	Medical/surgical supplies - FDA investigational
0159	Room charges for ward rooms - other	0631	devices Drugs requiring specific identification - single
0160	Room charges for other rooms - general	0632	source Drugs requiring specific identification - multiple
0164	Room charges for other rooms – Sterile	0633	source Drugs requiring specific identification -
0167	Environment Room charges for other rooms – self care	0634	restrictive prescription Drugs requiring specific identification - EPO,
0169	Room charges for other rooms - other	0635	less than 10,000 units Drugs requiring specific identification - EPO,
0170	Room charges for nursery - general	0636	10,000 or more units Drugs requiring specific identification -
0171	Room charges for nursery - newborn level I	0637	requiring detailed coding Drugs requiring specific identification - self-
0.1.7.0	D 1 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0640	administrable
0172 0173	Room charges for nursery - newborn level II Room charges for nursery - newborn level III	0640 0641	Home IV therapy services - general Home IV therapy services - nonroutine nursing,
0173			central line  Home IV therapy services - IV site care, central
	Room charges for nursery - newborn level IV	0642	line
0179	Room charges for nursery - other	0643	Home IV therapy services - IV start/change, peripheral line
0180	Room charges for LOA - general	0644	Home IV therapy services - nonroutine nursing, peripheral line
0182	Room charges for LOA - patient convenience- charges billable	0645	Home IV therapy services - training patient/caregiver, central line
0183	Room charges for LOA - therapeutic leave	0646	Home IV therapy services - training, disabled patient, central line
0185	Room charges for LOA – nursing home (for hospitalization)	0647	Home IV therapy services - training, patient/caregiver, peripheral
0189	Room charges for LOA - other	0648	Home IV therapy services - training, disabled patient, peripheral
0190	Room charges for subacute care - general	0649	Home IV therapy services - other

0191	Room charges for subacute care - Level I (skilled care)	0650	Hospice services - general
0192	Room charges for subacute care - Level II (comprehensive care)	0651	Hospice services - routine home care
0193	Room charges for subacute care - Level III	0652	Hospice services - continuous home care
0194	(complex care) Room charges for subacute care - Level IV (intensive care)	0655	Hospice services - inpatient respite care
0199	Room charges for subacute care - other	0656	Hospice services - general inpatient care (nonrespite)
0200	Room charges for intensive care - general	0657	Hospice services - physician services
0201	Room charges for intensive care - surgical	0658	Hospice services - room and board - nursing facility
0202	Room charges for intensive care - medical	0659	Hospice services - other
0203	Room charges for intensive care - pediatric	0660	Respite care - general
0204	Room charges for intensive care - psychiatric	0661	Respite care - hourly charge/skilled nursing
0206	Room charges for intensive care - intermediate intensive care unit (ICU)	0662	Respite care - hourly charge/aide/homemaker/companion
0207	Room charges for intensive care - burn care	0663	Respite care - daily charge
0208	Room charges for intensive care - trauma	0669	Respite care - other
0209	Room charges for intensive care - other	0670	Outpatient special residence - general
0210	Room charges for coronary care - general	0671	Outpatient special residence - hospital based
0211	Room charges for coronary care - myocardial infarction	0672	Outpatient special residence - contracted
0212	Room charges for coronary care - pulmonary care	0679	Outpatient special residence - other
0213 0214	Room charges for coronary care - heart transplant Room charges for coronary care - intermediate	0681 0682	Trauma response - level I
	coronary care unit (CCU)		Trauma response - level II
0219	Room charges for coronary care - other	0683	Trauma response - level III
0220	Special charges - general	0684	Trauma response - level IV
0221 0222	Special charges - admission charge	0689	Trauma response - other
	Special charges - technical support charge	0690	Pre-hospice/Palliative Care Services - general
0223	Special charges - UR service charge	0691	Pre-hospice/Palliative Care Services – visit charge
0224	Special charges - late discharge, medically necessary	0692	Pre-hospice/Palliative Care Services – hourly charge
0229	Special charges - other	0693	Pre-hospice/Palliative Care Services - evaluation
0230	Incremental nursing care - general	0694	Pre-hospice/Palliative Care Services – consultation and education
0231	Incremental nursing care - nursery	0695	Pre-hospice/Palliative Care Services – inpatient care
0232	Incremental nursing care - OB	0696	Pre-hospice/Palliative Care Services – physician services
0233	Incremental nursing care - ICU (includes transitional care)	0699	Pre-hospice/Palliative Care Services - other
0234	Incremental nursing care - CCU (includes transitional care)	0700	Cast Room services - general
0235	Incremental nursing care - hospice	0710	Recovery Room services - general
0239	Incremental nursing care - other	0720	Labor/Delivery Room services - general
0240	All-inclusive ancillary - general	0721	Labor/Delivery Room services - labor
0241	All-inclusive ancillary - basic	0722	Labor/Delivery Room services - delivery
0242	All-inclusive ancillary - comprehensive	0723	Labor/Delivery Room services - circumcision
0243	All-inclusive ancillary - specialty	0724	Labor/Delivery Room services - birthing center
0249	All-inclusive ancillary - other	0729	Labor/Delivery Room services - other
0250	Pharmacy - general	0730	EKG/ECG services - general
0251	Pharmacy - generic drugs	0731	EKG/ECG services - holter monitor
0252	Pharmacy - nongeneric drugs	0732	EKG/ECG services - telemetry
0253	Pharmacy - take-home drugs	0739	EKG/ECG services - other
0254	Pharmacy - drugs incident to other diagnostic services	0740	EEG services - general
0255	Pharmacy - drugs incident to radiology	0750	Gastrointestinal services - general

0256	Pharmacy - experimental drugs	0760	Treatment or observation room services - general
0257	Pharmacy - nonprescription	0761	Specialty Room - Treatment/ Observation Room - Treatment Room
0258	Pharmacy - IV solutions	0762	Specialty Room - Treatment/ Observation Room - Observation Room
0259	Pharmacy - other	0769	Treatment or observation room services - other
0260	IV Therapy - general	0770	Preventive care services - general
0261	IV Therapy - infusion pump	0771	Preventive care services - vaccine administration
0262	IV Therapy - pharmacy services	0780	Telemedicine services - general
0263	IV Therapy - drug/supply delivery	0790	Extra-corporeal shockwave therapy - general
0264	IV Therapy - supplies	0800	Inpatient renal dialysis services - general
0269	IV Therapy - other	0801	Inpatient renal dialysis services - hemodialysis
0270	Medical surgical supplies and devices - general	0802	Inpatient renal dialysis services - peritoneal (non-CAPD)
0271	Medical surgical supplies and devices - nonsterile	0803	Inpatient renal dialysis services - continuous ambulatory peritoneal dialysis (CAPD)
0272	Medical surgical supplies and devices - sterile	0804	Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD)
0273	Medical surgical supplies and devices - take- home	0809	Inpatient renal dialysis services - other
0274	Medical surgical supplies and devices - prosthetic/orthotic	0810	Acquisition of body components- general
0275	Medical surgical supplies and devices - pacemaker	0811	Acquisition of body components - living donor
0276	Medical surgical supplies and devices - intraocular lens (IOL)	0812	Acquisition of body components - cadaver donor
0277	Medical surgical supplies and devices - oxygen - take-home	0813	Acquisition of body components - unknown donor
0278	Medical surgical supplies and devices - other implants	0814	Acquisition of body components - unsuccessful organ search-donor bank charges
0279	Medical surgical supplies and devices - other	0815	Acquisition of body components – stem cells- allogeneic
0280	Oncology - general	0819	Acquisition of body components - other donor
0289	Oncology - other	0820	Hemodialysis - outpatient or home - general
0290	DME - general	0821	Hemodialysis - outpatient or home - composite or other rate
0291	DME - rental	0822	Hemodialysis - outpatient or home – home supplies
0292 0293	DME - purchase of new	0823 0824	Hemodialysis - outpatient or home – home equipment Hemodialysis - outpatient or home –
0293	DME - purchase of used  DME - supplies/drugs for DME effectiveness	0825	maintenance 100%  Hemodialysis - outpatient or home - support
0234	DIVIE - supplies/drugs for DIVIE effectiveness	0623	services
0299	DME - other equipment	0826	Hemodialysis - outpatient or home – shorter duration (effective 7/1/17)
0300	Laboratory - general	0829	Hemodialysis - outpatient or home - other
0301	Laboratory - chemistry	0830	Peritoneal dialysis - outpatient or home - general
0302	Laboratory - immunology	0831	Peritoneal dialysis - outpatient or home - composite or other rate
0303	Laboratory - renal patient (home)	0832	Peritoneal dialysis - outpatient or home – home supplies
0304	Laboratory - nonroutine dialysis	0833	Peritoneal dialysis - outpatient or home – home equipment
0305	Laboratory - hematology	0834	Peritoneal dialysis - outpatient or home – maintenance 100%
0306	Laboratory - bacteriology and microbiology	0835	Peritoneal dialysis - outpatient or home - support services
0307	Laboratory - urology	0839	Peritoneal dialysis - outpatient or home - other
0309	Laboratory - other	0840	CAPD - outpatient or home - general
0310	Laboratory pathological - general	0841	CAPD - outpatient or home - composite or other rate
0311	Laboratory pathological - cytology	0842	CAPD - outpatient or home – home supplies
0312	Laboratory pathological - histology	0843	CAPD - outpatient or home – home equipment

Last Updated: February, 2025

0314	Laboratory pathological - biopsy	0844	CAPD - outpatient or home – maintenance 100%
0319	Laboratory pathological - other	0845	CAPD - outpatient or home - support services
0320	Radiology - diagnostic - general	0849	CAPD - outpatient or home - other
0321	Radiology - diagnostic - angiocardiography	0850	CCPD - outpatient or home - general
0322	Radiology - diagnostic - arthrography	0851	CCPD - outpatient or home - composite or other rate
0323	Radiology - diagnostic - arteriography	0852	CCPD - outpatient or home - home supplies
0324	Radiology - diagnostic - chest x-ray	0853	CCPD - outpatient or home - home equipment
0329	Radiology - diagnostic - other	0854	CCPD - outpatient or home - maintenance 100%
0330	Radiology - therapeutic and/or chemotherapy administration - general	0855	CCPD - outpatient or home - support services
0331	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - injected	0859	CCPD - outpatient or home - other
0332	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - oral	0860	Magnetoencephalography (MEG) - General
0333	Radiology - therapeutic and/or chemotherapy administration - radiation therapy	0861	Magnetoencephalography (MEG) - MEG
0335	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - IV	0880	Miscellaneous dialysis - general
0339	Radiology - therapeutic and/or chemotherapy administration - other	0881	Miscellaneous dialysis - ultrafiltration
0340	Nuclear medicine - general	0882	Miscellaneous dialysis - home aide visit
0341	Nuclear medicine - diagnostic procedures	0889	Miscellaneous dialysis - other
0342	Nuclear medicine - therapeutic procedures	0900	Behavior health treatments/services - general
0343	Nuclear medicine - diagnostic	0901	Behavior health treatments/services -
03.13	radiopharmaceuticals	0,01	electroshock
0344	Nuclear medicine - therapeutic	0902	Behavior health treatments/services - milieu
	radiopharmaceuticals		therapy
0349	Nuclear medicine - other	0903	Behavioral health treatments/services - play therapy
0350	CT scan - general	0904	Behavior health treatments/services - activity therapy
0351	CT scan - head	0905	Behavior health treatments/services - intensive outpatient services - psychiatric
0352	CT scan - body	0906	Behavior health treatments/services - intensive outpatient services - chemical dependency
0359	CT scan - other	0907	Behavior health treatments/services - community behavioral health program
0360	Operating room services - general	0911	Behavior health treatment/services - rehabilitation
0361	Operating room services - minor surgery	0912	Behavior health treatment/services - partial hospitalization - less intensive
0362	Operating room services - organ transplant	0913	Behavior health treatment/services - partial
0267	other than kidney	0014	hospitalization - intensive
0367	Operating room services - kidney transplant	0914	Behavior health treatment/services - individual therapy
0369	Operating room services - other	0915	Behavior health treatment/services - group therapy
0370	Anesthesia - general	0916	Behavior health treatment/services - family therapy
0371	Anesthesia - incident to radiology	0917	Behavior health treatment/services - biofeedback
0372	Anesthesia - incident to other diagnostic services	0918	Behavior health treatment/services - testing
0374	Anesthesia - acupuncture	0919	Behavior health treatment/services - other
0379	Anesthesia - other	0920	Other diagnostic services - general
0380	Blood - general	0921	Other diagnostic services - peripheral vascular
0381	Blood - packed red cells	0922	lab Other diagnostic services - electromyogram
0382	Blood - whole blood	0923	Other diagnostic services - pap smear
0383	Blood - plasma	0923	Other diagnostic services - pap shear Other diagnostic services - allergy test
0384	Blood - platelets	0924	Other diagnostic services - anergy test  Other diagnostic services - pregnancy test
0385	Blood - leukocytes	0923	Other diagnostic services - pregnancy test  Other diagnostic services - other
	Ž	0929	Medical rehabilitation day program - half day
0386	Blood - other components	0931	medicai ienaomianon day program - nan day

0387	Blood - other derivatives (cryoprecipitate)	0932	Medical rehabilitation day program - full day
0389	Blood - other	0940	Other therapeutic services - general
0390	Blood and blood component administration, storage and processing - general	0941	Other therapeutic services - recreational therapy
0391	Blood and blood component administration, storage and processing - administration	0942	Other therapeutic services - education/training
0392	Blood and blood component administration, storage and processing – processing and storage	0943	Other therapeutic services - cardiac rehabilitation
0399	Blood and blood component administration, storage and processing - other	0944	Other therapeutic services - drug rehabilitation
0400	Other imaging services - general	0945	Other therapeutic services - alcohol rehabilitation
0401	Other imaging services - diagnostic mammography	0946	Other therapeutic services - complex medical equipment - routine
0402	Other imaging services - ultrasound	0947	Other therapeutic services - complex medical equipment - ancillary
0403	Other imaging services - screening mammography	0948	Other therapeutic services – pulmonary rehabilitation
0404	Other imaging services - PET	0949	Other therapeutic services - other
0409	Other imaging services - other	0951	Other therapeutic services – athletic training
0410	Respiratory services - general	0952	Other therapeutic services - kinesiotherapy
0410	Respiratory services - inhalation	0953	Other therapeutic services – chemical
0712	respiratory services - initalation	0,00	dependency (drug and alcohol)
0413	Respiratory services - hyperbaric oxygen therapy	0960	Professional fees - general
0419	Respiratory services - other	0961	Professional fees - psychiatric
0420	Physical therapy - general	0962	Professional fees - ophthalmology
0421	Physical therapy - visit charge	0963	Professional fees - anesthesiologist (MD)
0422	Physical therapy - hourly charge	0964	Professional fees - anesthetist (CRNA)
0423	Physical therapy - group rate	0969	Professional fees - other
0424	Physical therapy - evaluation or reevaluation	0971	Professional fees - laboratory
0429	Physical therapy - other	0972	Professional fees - radiology - diagnostic
0430	Occupational therapy - general	0973	Professional fees - radiology - therapeutic
0431	Occupational therapy - visit charge	0974	Professional fees - radiology - nuclear medicine
0432	Occupational therapy - hourly charge	0975	Professional fees - operating room
0433	Occupational therapy - group rate	0976	Professional fees - respiratory therapy
0434	Occupational therapy - evaluation or reevaluation	0977	Professional fees - physical therapy
0439	Occupational therapy - other	0978	Professional fees - occupational therapy
0440	Speech-language pathology - general	0979	Professional fees - speech therapy
0441	Speech-language pathology - visit charge	0981	Professional fees - emergency room
0442	Speech-language pathology - hourly charge	0982	Professional fees - outpatient services
0443	Speech-language pathology - group rate	0983	Professional fees - clinic
0444	Speech-language pathology - evaluation or reevaluation	0984	Professional fees - medical social services
0449	Speech-language pathology - other	0985	Professional fees - EKG
0450	Emergency room - general	0986	Professional fees - EEG
0451	Emergency room - EMTALA emergency medical screening services	0987	Professional fees - hospital visit
0452	Emergency room - beyond EMTALA screening	0988	Professional fees - consultation
0456	Emergency room - urgent care	0989	Professional fees - private duty nurse
0459	Emergency room - other	0990	Patient convenience items - general
0460	Pulmonary function - general	0991	Patient convenience items - cafeteria/guest tray
0469	Pulmonary function - other	0992	Patient convenience items - private linen service
0470	Audiology - general	0993	Patient convenience items - telephone/telegraph
0471	Audiology - diagnostic	0994	Patient convenience items - TV/radio
0472	Audiology - treatment	0995	Patient convenience items - nonpatient room
0479	Audiology - other	0996	rentals Patient convenience items - late discharge
0.400		0007	charge
0480	Cardiology - general	0997	Patient convenience items - admission kits
0481	Cardiology - cardiac cath lab	0998	Patient convenience items - beauty shop/barber

	0482	Cardiology - stress test	0999	Patient convenience items - other
	0483	Cardiology - echocardiology	1000	Behavior health accommodations - general
	0489	Cardiology - other	1001	Behavior health accommodations - residential treatment - psychiatric
	0490	Ambulatory surgical care - general	1002	Behavior health accommodations - residential treatment - chemical dependency
	0499	Ambulatory surgical care - other	1003	Behavior health accommodations - supervised living
	0500	Outpatient services - general	1004	Behavior health accommodations - halfway house
	0509	Outpatient services - other	1005	Behavior health accommodations - group home
	0510	Clinic - general	2100	Alternative therapy services - general
	0511	Clinic - chronic pain	2101	Alternative therapy services - acupuncture
	0512	Clinic - dental	2102	Alternative therapy services - acupressure
	0513	Clinic - psychiatric	2103	Alternative therapy services - massage
	0514	Clinic - OB/GYN	2104	Alternative therapy services - reflexology
	0515	Clinic - pediatric	2105	Alternative therapy services - biofeedback
	0516	Clinic - urgent care	2106	Alternative therapy services - hypnosis
	0517	Clinic - family practice	2109	Alternative therapy services - other
	0519	Clinic - other	3101	Adult day care, medical and social - hourly
	0520	Freestanding Clinic - general	3102	Adult day care, social - hourly
	0521	Freestanding Clinic - Clinic Visit by Member to RHC/FQHC	3103	Adult day care, medical and social - daily
	0522	Freestanding Clinic - Home Visit by RHC/FQHC Practitioner	3104	Adult day care, social - daily
	0523	Freestanding Clinic - family practice	3105	Adult foster care - daily
	0524 0525	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a Covered Part A Stay at SNF Freestanding Clinic - Visit by RHC/FQHC	3109	Adult foster care - other
	0526	Practitioner to a Member in a SNF (not Covered Part A Stay) or NF or ICF MR or Other Residential Facility Freestanding Clinic - urgent care		
Beginning Position:	13	Data Source:	Claim	
Length:	4	Type:		umeric
Field 3:		CS_QUALIFIER		
Description:	Code	identifying the type/source of the descrip CS_PROCEDURE_CODE	tive nun	nber used in
Beginning Position:	17	Data Source:	Claim	
Length:	2	Type:		numeric
Field 4		CS PROCEDURE CODE	Aipiiai	tumene
Description:	HCFA	A Common Procedure Coding System (He	CPCS) c	ode applicable to ancillary services or
		nmodations.		
Coding Scheme:	See h	ttp://www.cms.hhs.gov/HCPCSReleaseCo	odeSets//	ANHCPCS/list.asp for complete list.
<b>Beginning Position:</b>	19	Data Source:	Claim	
Length:	5	Type:	Alphan	umeric
Field 5:	MOD	IFIER_1		
Description:	Identi	fies special circumstances related to the p	erforma	nce of the service
Coding Scheme:	22	Increased procedural services	P4	A patient with severe systemic disease that is a
C	23	Unusual Anesthesia	P5	constant threat to life A moribund patient who is not expected to
	24	Unrelated Evaluation and Management Service by	P6	survive without the operation A declared brain-dead patient whose organs are
	24	the Same Physician or Other Qualified Health		being removed for donor purposes
	25	Care Professional during a Postoperative Period Significant, Separately Identifiable Evaluation and	i E1	Upper left eyelid
		Care Professional during a Postoperative Period	l E1	

Description:		tifies special circumstances related to the p	erforma	nce of the service.
Length: Field 6:	2 <b>MO</b> 1	Type: DIFIER_2	Alphan	umeric
Beginning Position:	24	Data Source:	Claim	
	P3	A patient with severe systemic disease	~.·	
	P2	A patient with mild systemic disease	XU	Unusual Non-Overlapping Service
	P1	A normal healthy patient	XP	Separate Practitioner
	31	not performed, reason not otherwise specified		•
	8P	System Reasons Performance Measure Reporting Modifier- Action	XS	Separate Structure
	3P	Patient Reasons Performance Measure Exclusion Modifier due to	XE	Separate Encounter
	2P	Medical Reasons Performance Measure Exclusion Modifier due to	TA	Left foot, great toe
	1P	Performance Measure Exclusion Modifier due to	T9	Right foot, fifth digit
	99	Multiple Modifiers	Т8	Right foot, fourth digit
		a Real-Time Interactive Audio and Video Telecommunications System		
	95	Synchronous Telemedicine Service Rendered Via	T7	Right foot, third digit
	92	Alternative Laboratory Platform Testing	T6	Right foot, second digit
	91	Repeat Clinical Diagnostic Laboratory Test	T5	Right foot, great toe
	90	Reference (Outside) Laboratory	T4	Left foot, fourth digit  Left foot, fifth digit
	82	Repeat procedure by same physician	T3	Left foot, fourth digit
	81	Assistant Surgeon Minimum Assistant Surgeon	T2	Left foot, second digit  Left foot, third digit
	80	Professional During the Postoperative Period	T1	Left foot, second digit
	79	Unrelated Procedure or Service by the Same Physician or Other Qualified Health Care	RT	Right side of the body procedure
		Room by the Same Physician or Other Qualified Health Care Professional Following Initial Procedure for a Related Procedure During the Postoperative Period		
	78	Qualified Health Care Professional Unplanned Return to the Operating/Procedure	RI	Ramus intermedius coronary artery
	77	Qualified Health Care Professional Repeat Procedure by Another Physician or Other	RC	provider of services Right coronary artery
	76	Administration of Anesthesia Repeat Procedure by Same Physician or Other	QN	Ambulance service furnished directly by a
	74	Administration of Anesthesia Discontinued Outpatient Hospital/Ambulatory Surgery Center (ASC) Procedure after	Q M	Ambulance service provided under arrangement by a provider of services
	73	Discontinued Outpatient Hospital/Ambulatory Surgery Center (ASC) Procedure prior to the	LT	Left side of the body procedure
	66	Surgical Team	LM	Left main coronary artery
	63	Procedure Performed on Infants less than 4kg	LD	Left anterior descending coronary artery
	59 62	Distinct Procedural Service Two Surgeons	GH LC	Diagnostic mammogram converted from screening mammogram on same day Left circumflex coronary artery
		Same Physician or Other Qualified Health Care Professional During the Postoperative Period		mammography and diagnostic mammography of same patient, same day.
	58	Staged or Related Procedure or Service by the	GG	Performance and payment of a screening
	57	Decision for Surgery	FA	Left hand, thumb
	56	Preoperative Management Only	F9	Right hand, fifth digit
	55	Surgical Care Only Postoperative Management Only	F8	Right hand, fourth digit
	54		го F7	Right hand, second digit Right hand, third digit
	53	Discontinued Procedure	гэ F6	
	51 52	Multiple Procedures Reduced Services	F4 F5	Left hand, fifth digit Right hand, thumb
	50	Bilateral Procedure	F3	Left hand, fourth digit
	47	Anesthesia by Surgeon	F2	Left hand, third digit
		Preventive Service	F1	Left hand, second digit
	32 33	Mandated Services	E4	Lower right eyelid

Coding Scheme:	Same as Field MODIFIER_	_1	
<b>Beginning Position:</b>	26	<b>Data Source:</b>	Claim
Length:	2	Type:	Alphanumeric
Field 7:	MODIFIER_3		
<b>Description:</b>	Identifies special circumsta	nces related to the	performance of the service.
Coding Scheme:	Same as Field MODIFIER_	_1	
<b>Beginning Position:</b>	28	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 8:	MODIFIER_4		
<b>Description:</b>	Identifies special circumsta	nces related to the	performance of the service.
Coding Scheme:	Same as Field MODIFIER_	_1	
<b>Beginning Position:</b>	30	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 9:	UNIT_MEASUREMENT		
Description:	Code specifying the units in	n which a value is	being expressed.
Coding Scheme:	DA Days		
	F2 International unit UN Unit		
<b>Beginning Position:</b>	32	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 10:	UNITS OF SERVICE	V 1	
Description:	Numeric value of quantity		
<b>Beginning Position:</b>	34	<b>Data Source:</b>	Claim
Length:	7	Type:	Numeric
Field 11:	UNIT_RATE		
<b>Description:</b>	Rate per unit		
<b>Beginning Position:</b>	41	Data Source:	Claim
Length:	12	Type:	Numeric
Field 12:	CHRGS_LINE_ITEM		
<b>Description:</b>	Total amount of the charge		
<b>Beginning Position:</b>	53	<b>Data Source:</b>	Assigned
Length:	14	Type:	Numeric
Field 13:	CHRGS_NON_COV		
<b>Description:</b>	Total non-covered amount	of the charge	
<b>Beginning Position:</b>	67	Data Source:	Assigned
Length:	14	Type:	Numeric

# FACILITY TYPE INDICATOR FILE

Facility type indicators provided by the facilities. Provide the data user with information on the type of facility providing the inpatient service.

Field 1:	THCIC_ID					
<b>Description:</b>	Provider ID. Unique identifier assigned to the provider by DSHS.					
<b>Beginning Position:</b>	1 Data Source	$\boldsymbol{\varepsilon}$				
Length:	6 <b>Type:</b>	Alphanumeric				
Field 2:	FACILITY_TYPE					
<b>Description:</b>	Types of healthcare facilities.					
<b>Beginning Position:</b>	7 Data Source	ee: Provider				
Length:	4 <b>Type:</b>	Alphanumeric				
Field 3:	FAC_TEACHING_IND					
<b>Description:</b>	Teaching Facility Indicator.					
<b>Suppression:</b>		an 50 discharges (Provider ID equals '999999').				
<b>Coding Scheme:</b>	A Member, Council of Teaching Hospitals X Other teaching facility					
<b>Beginning Position:</b>	11 Data Source					
Length:	1 <b>Type:</b>	Alphanumeric				
Field 4:	FAC_PSYCH_IND					
<b>Description:</b>	Psychiatric Facility Indicator.					
<b>Suppression:</b>		an 50 discharges (Provider ID equals '999999').				
<b>Beginning Position:</b>	12 Data Source					
Length:	1 <b>Type:</b>	Alphanumeric				
Field 5:	FAC_REHAB_IND					
<b>Description:</b>	Rehabilitation Facility Indicator.					
<b>Suppression:</b>		an 50 discharges (Provider ID equals '999999').				
<b>Beginning Position:</b>	13 Data Source					
Length:	1 <b>Type:</b>	Alphanumeric				
Field 6:	FAC_ACUTE_CARE_IND					
<b>Description:</b>	Acute Care Facility Indicator.					
Suppression:		an 50 discharges (Provider ID equals '999999').				
<b>Beginning Position:</b>	14 Data Source					
Length:	1 Type:	Alphanumeric				
Field 7:	FAC_SNF_IND					
<b>Description:</b>		spital facility type indicator provided by the hospital.				
Suppression:		an 50 discharges (Provider ID equals '999999').				
<b>Beginning Position:</b>	15 Data Source					
Length:	1 Type:	Alphanumeric				
Field 8:	FAC_LONG_TERM_AC_IND					
Description:	Long Term Acute Care Facility Indica					
Suppression:		an 50 discharges (Provider ID equals '999999').				
<b>Beginning Position:</b>	Data Source					
Length:	1 Type:	Alphanumeric				
Field 9:	FAC_OTHER_LTC_IND					
Description:	Other Long Term Care Facility Indicat					
Suppression:	11	an 50 discharges (Provider ID equals '999999').				
Beginning Position:	17 Data Source					
Length:	1 Type:	Alphanumeric				
Field 10:	FAC_PEDS_IND Pediatric Facility Indicator.					
	PROTECT HEACTHIN INDICATOR					
<b>Description:</b>		50 1'-1 (Day 11 ID) 1 10000000				
Description: Suppression:	Suppressed for hospitals with fewer th	an 50 discharges (Provider ID equals '999999').				
<b>Description:</b>						

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC Page 55

Beginning Position:	18	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 11	PROVIDER_NAME		
<b>Description:</b>	Hospital name provided b	by the hospital.	
<b>Beginning Position:</b>	19	<b>Data Source:</b>	Provider
Length:	55	Type:	Alphanumeric
Field 12:	POA_PROVIDER_IND	ICATOR	
<b>Description:</b>	Indicator identifying whe	ther facility is req	uired to submit Diagnosis Present on Admission
Coding Scheme:	reporting POA to the dep Hospitals, Inpatient Psycl and Long Term Care Hos	artment: Critical Aniatric Hospitals, Opitals.	the following facility types as exempt from Access Hospitals, Inpatient Rehabilitation Cancer Hospitals, Children's or Pediatric Hospitals pted from reporting POA for those patients)
<b>Beginning Position:</b>	74	<b>Data Source:</b>	Assigned
Length:	1	Type:	Alphanumeric
Field 13:	CERT_STATUS		
<b>Description:</b>			cation of data and submission of comments by the
Coding Scheme:	hospital. First available 3  Certified, without commod 2  Certified, with comment 3  Certified, with comment 4  Hospital elected not to complete 4  Hospital closed, data not 6  Hospital out of complian 7  Data not certified. Hospi	ent  , comment not received  ertify certified  ce, did not certify data	
<b>Beginning Position:</b>	1	•	Assigned
Length:	1		Alphanumeric

# **GROUPER FILE**

Field 1:	RECORD_ID				
<b>Description:</b>	Record Identification Number. Unique number assigned to identify the record. First available				
D 1 1 D 1/1	1st quarter 2002. Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).				
<b>Beginning Position:</b>	1 Data Source: Assigned				
Length:	12 Type: Alphanumeric				
Field 2:	FROZEN_MS_DRG				
<b>Description:</b>	Centers for Medicare and Medicaid Services (CMS) Diagnosis Related Group (DRG), as				
<b>Beginning Position:</b>	assigned for hospital payment for Medicare beneficiaries.  13 Data Source: Assigned				
Length:	3 Type: Alphanumeric				
Field 3:	FROZEN_MS_MDC				
Description:	Major Diagnostic Category (MDC) as assigned by Centers for Medicare and Medicaid Services				
Description.	(CMS) (formerly Health Care Financing Administration (HCFA)) for hospital payment for				
	Medicare beneficiaries. First available 2004.				
<b>Beginning Position:</b>	16 <b>Data Source:</b> Assigned				
Length:	2 <b>Type:</b> Alphanumeric				
Field 4:	FROZEN_MS_GROUPER_VERSION_NBR				
<b>Description:</b>	CMS Medicare Severity Diagnosis Related Grouper (formerly CMS DRG Grouper and				
•	previously reported as HCFA_GROUPER_VERSION_NBR) version used to assign MS DRG				
	and, MS MDC codes				
<b>Beginning Position:</b>	18 <b>Data Source:</b> Assigned				
Length:	5 <b>Type:</b> Alphanumeric				
Field 5:	FROZEN_MS_GROUPER_ERROR_CODE				
<b>Description:</b>	Error codes identify potential variations with MS DRG code assignment				
Coding Scheme:	No errors. DRG successfully assigned.  19 DisableHac = 0 and at least one HAC POA is invalid or				
	01 Diagnosis code cannot be used as principal 20 DisableHac is invalid and at least one HAC POA is N or				
	diagnosis  U  Disable rate is invalid and at least one rate i of a six of				
	Record does not meet criteria for any DRG 21 DisableHac is invalid and at least one HAC POA is				
	invalid or exempt  O3 Invalid Age  22 DisableHac = 0 and at least one HAC POA is exempt				
	O4 Invalid Sex 23 DisableHac is invalid and at least one HAC POA is				
	exempt				
	Invalid Discharge Status  24 DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U				
	10 Illogical Principal Diagnosis (CMS only)  25 DisableHac is invalid and there are multiple HACs that				
	have different flac POA values that are not 1 or w				
<b>Beginning Position:</b>	11 Invalid Principal Diagnosis 23 <b>Data Source:</b> Assigned				
Length:	2 <b>Type:</b> Alphanumeric				
Field 6:	FROZEN_APR_DRG				
Description:	All Patient Refined (APR) Diagnosis Related Group (DRG) as assigned by 3M APR-DRG				
2 0501 .pu	Grouper				
<b>Beginning Position:</b>	25 Data Source: Assigned				
Length:	3 Type: Alphanumeric				
Field 7:	FROZEN_RISK_MORTALITY				
<b>Description:</b>	Assignment of a risk of mortality score from the All Patient Refined (APR) Diagnosis Related				
	Group (DRG) from the 3M <sup>™</sup> APR-DRG Grouper. Indicates the likelihood of dying.				
Coding Scheme:	1 Minor				
	<ul><li>2 Moderate</li><li>3 Major</li></ul>				
	4 Extreme				
<b>Beginning Position:</b>	28 Data Source: Assigned				
Length:	1 Type: Alphanumeric				
Field 8:	FROZEN_ILLNESS_SEVERITY				
- a					
DSHS/THCIC	Page 57 DSHS Document # E25-14163				
WWW.DSHS.TEXAS	S.GOV/THCIC Last Updated: February, 2025				

Description:			the All Patient Refined (APR) Diagnosis Related
		PR-DRG Gro	ouper. Indicates the extent of physiologic
	decompensation.		
Coding Scheme:	<ul><li>1 Minor</li><li>2 Moderate</li></ul>		
	3 Major		
	4 Extreme		
	0 No class specified		
<b>Beginning Position:</b>		ita Source:	Assigned
Length:		pe:	Alphanumeric
Field 9:	FROZEN_APR_MDC		
<b>Description:</b>		_	ed by 3M <sup>™</sup> APR-DRG Grouper.
<b>Beginning Position:</b>		ita Source:	Assigned
Length:		pe:	Alphanumeric
Field 10:	FROZEN_APR_GROUPER_		
<b>Description:</b>			Grouper version used to assign APR DRG codes,
D!! D!4!			and, Severity of Illness rankings
<b>Beginning Position:</b>		ta Source:	Assigned
Length:		pe:	Alphanumeric
Field 11:	FROZEN_APR_GROUPER_I		
Description:	Error codes identify potential va		-
Coding Scheme:	<ul><li>No errors. DRG successfully assi</li><li>Diagnosis code cannot be used as</li></ul>		Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or
	principal diagnosis	5 19	exempt
	02 Record does not meet criteria for	any 20	DisableHac is invalid and at least one HAC POA is N or U
	DRG	21	Di li li di
	03 Invalid Age	21	DisableHac is invalid and at least one HAC POA is invalid or exempt
	04 Invalid Sex	22	DisableHac = 0 and at least one HAC POA is exempt
	05 Invalid Discharge Status	23	DisableHac is invalid and at least one HAC POA is exempt
	06 Invalid birthweight (AP & APR of	only) 24	DisableHac = 0 and there are multiple HACs that have
	09 Invalid discharge age in days (AF	2 & 25	different HAC POA values that are not Y, W, N, U DisableHac is invalid and there are multiple HACs that
	APR only)		have different HAC POA values that are not Y or W
D 1 1 D 1/1	11 Invalid Principal Diagnosis		
<b>Beginning Position:</b>		ita Source:	Assigned
Length:		pe:	Alphanumeric
Field 12:	MS_DRG Contage for Medicage and Medic	oid Comicae	(CMS) Diagnosis Related Crown (DDC) as
Description:			(CMS) Diagnosis Related Group (DRG), as
<b>Beginning Position:</b>	assigned for hospital payment for 39 <b>Da</b>	or Medicare o nta Source:	Assigned
Length:			Alphanumeric
Field 13:	MS_MDC	pe:	Alphanumene
Description:	<del></del>	C) as assign	ed by Centers for Medicare and Medicaid Services
Description.			ninistration (HCFA)) for hospital payment for
	Medicare beneficiaries. First ava		inimistration (TC171)) for nospital payment for
<b>Beginning Position:</b>		ta Source:	Assigned
Length:		pe:	Alphanumeric
Field 14:	MS_GROUPER_VERSION_N		<u>,                                    </u>
<b>Description:</b>			rouper (formerly CMS DRG Grouper and
•			ERSION_NBR) version used to assign MS DRG
	and, MS MDC codes	_	_ ,
<b>Beginning Position:</b>	44 <b>Da</b>	ita Source:	Assigned
Length:	5 <b>Ty</b>	pe:	Alphanumeric
Field 15:	MS_GROUPER_ERROR_CC	)DE	
<b>Description:</b>	Error codes identify potential va	riations with	MS DRG code assignment
Coding Scheme:	No errors. DRG successfully assi	10	DisableHac = 0 and at least one HAC POA is invalid or
-	·	-	exempt HAGROA' N
	01 Diagnosis code connet he used as		
	01 Diagnosis code cannot be used as diagnosis	s principal 20	DisableHac is invalid and at least one HAC POA is N or U
DSHS/THCIC	O1 Diagnosis code cannot be used as diagnosis	s principai 20	U
DSHS/THCIC WWW.DSHS.TEXAS	diagnosis	Page 58	

	02 Record does not meet crite	eria for any DRG	21 DisableHac is invalid and at least one HAC POA is
	03 Invalid Age	Ž	invalid or exempt  22 DisableHac = 0 and at least one HAC POA is exempt
	04 Invalid Sex		23 DisableHac is invalid and at least one HAC POA is
			exempt
	05 Invalid Discharge Status		24 DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U
	10 Illogical Principal Diagno	sis (CMS only)	25 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W
	11 Invalid Principal Diagnosi	is	have different fraction values that are not 1 of w
<b>Beginning Position:</b>	49	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 16:	APR_DRG		
<b>Description:</b>		Diagnosis Relat	ed Group (DRG) as assigned by 3M APR-DRG
	Grouper		
<b>Beginning Position:</b>	51	Data Source:	
Length:	3	Type:	Alphanumeric
Field 17:	RISK_MORTALITY	. 11.	1 AUD : D C 1(ADD) D: D 1 A 1
Description:			n the All Patient Refined (APR) Diagnosis Related
	<b>-</b>	1™ APR-DRG G	rouper. Indicates the likelihood of dying.
Coding Scheme:	1 Minor 2 Moderate		
	3 Major		
	4 Extreme		
<b>Beginning Position:</b>	54	Data Source:	C
Length:	1	Type:	Alphanumeric
Field 18:	ILLNESS_SEVERITY	C:11 C	1 AHD ( , D C , 1/4 DD) D' , D 1 , 1
Description:			om the All Patient Refined (APR) Diagnosis Related
		T''' APR-DRG G	rouper. Indicates the extent of physiologic
Coding Scheme:	decompensation.  1 Minor		
Couning Scheme.	2 Moderate		
	2 25.		
	3 Major		
	4 Extreme		
Reginning Position	4 Extreme 0 No class specified	Data Source	Assigned
Beginning Position:	4 Extreme 0 No class specified 55	Data Source:	C
Beginning Position: Length: Field 19:	4 Extreme 0 No class specified 55 1	Data Source: Type:	Assigned Alphanumeric
Length: Field 19:	4 Extreme 0 No class specified 55 1  APR_MDC	Type:	Alphanumeric
Length: Field 19: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category	Type: y (MDC) as assig	Alphanumeric  gned by 3M <sup>™</sup> APR-DRG Grouper.
Length: Field 19: Description: Beginning Position:	4 Extreme 0 No class specified 55 1  APR_MDC	Type: y (MDC) as assig Data Source:	Alphanumeric gned by 3M <sup>™</sup> APR-DRG Grouper.
Length: Field 19: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2	Type: y (MDC) as assig Data Source: Type:	Alphanumeric  gned by 3M™ APR-DRG Grouper.  Assigned
Length: Field 19: Description: Beginning Position: Length:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS	Type: y (MDC) as assig Data Source: Type: SION_NBR	Alphanumeric  gned by 3M™ APR-DRG Grouper.  Assigned
Length: Field 19: Description: Beginning Position: Length: Field 20:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3M <sup>TM</sup> All Patient Refined	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat	Alphanumeric  gned by 3M <sup>™</sup> APR-DRG Grouper.  Assigned  Alphanumeric
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3MTM All Patient Refined APR MDC codes, Risk of 58	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat	Alphanumeric  gned by 3M™ APR-DRG Grouper. Assigned Alphanumeric  ed Grouper version used to assign APR DRG codes, gs and,Severity of Illness rankings Assigned
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3M <sup>TM</sup> All Patient Refined APR MDC codes, Risk of 58 5	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type:	Alphanumeric  ened by 3M™ APR-DRG Grouper.  Assigned  Alphanumeric  ed Grouper version used to assign APR DRG codes, gs and,Severity of Illness rankings
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3M <sup>TM</sup> All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: DR_CODE	Alphanumeric  gned by 3M™ APR-DRG Grouper.  Assigned Alphanumeric  ed Grouper version used to assign APR DRG codes, gs and,Severity of Illness rankings  Assigned Alphanumeric
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3M <sup>TM</sup> All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: DR_CODE	Alphanumeric  gned by 3M™ APR-DRG Grouper. Assigned Alphanumeric  ed Grouper version used to assign APR DRG codes, gs and,Severity of Illness rankings Assigned
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3MTM All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successfu	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: OR_CODE attial variations welly assigned.	Alphanumeric  gned by 3M™ APR-DRG Grouper. Assigned Alphanumeric  ed Grouper version used to assign APR DRG codes, gs and,Severity of Illness rankings Assigned Alphanumeric  eth APR DRG code assignment Gestational age/birth weight conflict (APR only)
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3MTM All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successfu 01 Diagnosis code cannot be	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: OR_CODE attial variations welly assigned.	Alphanumeric  gned by 3M™ APR-DRG Grouper. Assigned Alphanumeric  ed Grouper version used to assign APR DRG codes, gs and,Severity of Illness rankings Assigned Alphanumeric  eth APR DRG code assignment Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3MTM All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successfu	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: OR_CODE atial variations was ally assigned. 12 used as 19	Alphanumeric  and by 3M™ APR-DRG Grouper.  Assigned Alphanumeric  and Grouper version used to assign APR DRG codes, and,Severity of Illness rankings Assigned Alphanumeric  ath APR DRG code assignment  Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3MTM All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite DRG	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: DR_CODE Itial variations willy assigned. 12 used as 19 eria for any 20	Alphanumeric  and by 3M™ APR-DRG Grouper.  Assigned Alphanumeric  and Grouper version used to assign APR DRG codes, and,Severity of Illness rankings Assigned Alphanumeric  ath APR DRG code assignment  Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is N or U
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3MTM All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: DR_CODE atial variations was ally assigned. 12 used as 19	Alphanumeric  and by 3M™ APR-DRG Grouper.  Assigned Alphanumeric  and Grouper version used to assign APR DRG codes, gs and,Severity of Illness rankings Assigned Alphanumeric  ath APR DRG code assignment  Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3MTM All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite DRG	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: DR_CODE Itial variations willy assigned. 12 used as 19 eria for any 20	Alphanumeric  and by 3M™ APR-DRG Grouper.  Assigned Alphanumeric  and Grouper version used to assign APR DRG codes, gs and,Severity of Illness rankings Assigned Alphanumeric  ath APR DRG code assignment  Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3M <sup>TM</sup> All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO Error codes identify potent 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite DRG 03 Invalid Age	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: DR_CODE atial variations willy assigned. 12 used as 19 eria for any 20 22 23	Alphanumeric  and by 3M™ APR-DRG Grouper.  Assigned Alphanumeric  and Grouper version used to assign APR DRG codes, and,Severity of Illness rankings Assigned Alphanumeric  and APR DRG code assignment  Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac = 0 and at least one HAC POA is exempt DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3MTM All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite DRG 03 Invalid Age 04 Invalid Sex	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: DR_CODE atial variations willy assigned. 12 used as 19 eria for any 20 22 23	Alphanumeric  and by 3M™ APR-DRG Grouper.  Assigned Alphanumeric  and Grouper version used to assign APR DRG codes, and,Severity of Illness rankings Assigned Alphanumeric  and APR DRG code assignment  Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac = 0 and at least one HAC POA is exempt DisableHac = 0 and at least one HAC POA is exempt DisableHac = 0 and there are multiple HACs that have
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3MTM All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite DRG 03 Invalid Age 04 Invalid Sex 05 Invalid Discharge Status 06 Invalid birthweight (AP &	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: DR_CODE atial variations willy assigned. 12 used as 15 eria for any 20 22 23 24 24 25 24 25 26 27 27 28 28 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	Alphanumeric  and by 3M™ APR-DRG Grouper.  Assigned Alphanumeric  and Grouper version used to assign APR DRG codes, gs and,Severity of Illness rankings Assigned Alphanumeric  and APR DRG code assignment  Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac = 0 and at least one HAC POA is exempt DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3MTM All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite DRG 03 Invalid Age 04 Invalid Sex 05 Invalid Discharge Status 06 Invalid discharge age in da APR only)	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: OR_CODE Itial variations willy assigned. 12 used as 19 eria for any 20 22 23 24 25 25 26 27 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	Alphanumeric  and by 3M™ APR-DRG Grouper.  Assigned Alphanumeric  and Grouper version used to assign APR DRG codes, gs and,Severity of Illness rankings Assigned Alphanumeric  ath APR DRG code assignment  Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac = 0 and at least one HAC POA is exempt DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3MTM All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite DRG 03 Invalid Age 04 Invalid Sex 05 Invalid Discharge Status 06 Invalid birthweight (AP &	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: OR_CODE Itial variations willy assigned. 12 used as 19 eria for any 20 22 23 24 25 25 26 27 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	Alphanumeric  and by 3M™ APR-DRG Grouper.  Assigned Alphanumeric  and Grouper version used to assign APR DRG codes, and,Severity of Illness rankings Assigned Alphanumeric  and APR DRG code assignment  Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac = 0 and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U DisableHac is invalid and there are multiple HACs that
Length: Field 19: Description: Beginning Position: Length: Field 20: Description: Beginning Position: Length: Field 21: Description:	4 Extreme 0 No class specified 55 1  APR_MDC  Major Diagnostic Category 56 2  APR_GROUPER_VERS 3MTM All Patient Refined APR MDC codes, Risk of 58 5  APR_GROUPER_ERRO Error codes identify poten 00 No errors. DRG successfu 01 Diagnosis code cannot be principal diagnosis 02 Record does not meet crite DRG 03 Invalid Age 04 Invalid Sex 05 Invalid Discharge Status 06 Invalid discharge age in da APR only)	y (MDC) as assig Data Source: Type: SION_NBR Diagnosis Relat Mortality rankin Data Source: Type: OR_CODE Itial variations willy assigned. 12 used as 19 eria for any 20 22 23 24 25 25 26 27 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	Alphanumeric  and by 3M™ APR-DRG Grouper.  Assigned Alphanumeric  and Grouper version used to assign APR DRG codes, gs and,Severity of Illness rankings Assigned Alphanumeric  ath APR DRG code assignment  Gestational age/birth weight conflict (APR only) DisableHac = 0 and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is invalid or exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac is invalid and at least one HAC POA is exempt DisableHac is invalid and there are multiple HACs that

WWW.DSHS.TEXAS.GOV/THCIC

Beginning Position:63Data Source:AssignedLength:2Type:Alphanumeric



# **Texas Hospital Inpatient Discharge Public Use Data File DATA FIELDS**

### BASE DATA #1 FILE

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
1	RECORD_ID Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).	1	12	Alphanumeric
2	DISCHARGE	13	6	Alphanumeric
3	THCIC_ID	19	6	Alphanumeric
4	TYPE_OF_ADMISSION	25	1	Alphanumeric
5	SOURCE_OF_ADMISSION	26	1	Alphanumeric
6	SPEC_UNIT_1	27	1	Alphanumeric
7	SPEC_UNIT_2	28	1	Alphanumeric
8	SPEC_UNIT_3	29	1	Alphanumeric
9	SPEC_UNIT_4	30	1	Alphanumeric
10	SPEC_UNIT_5	31	1	Alphanumeric
11	PAT_STATE	32	2	Alphanumeric
12	PAT_ZIP	34	5	Alphanumeric
13	PAT_COUNTRY	39	2	Alphanumeric
14	PAT_COUNTY	41	3	Alphanumeric
15	PUBLIC_HEALTH_REGION	44	2	Alphanumeric
16	PAT_STATUS	46	2	Alphanumeric
17	SEX_CODE	48	1	Alphanumeric
18	RACE	49	1	Alphanumeric
19	ETHNICITY	50	1	Alphanumeric
20	ADMIT_WEEKDAY	51	1	Alphanumeric
21	LENGTH_OF_STAY	52	4	Alphanumeric
22	PAT_AGE	56	2	Alphanumeric
23	FIRST_PAYMENT_SRC	58	2	Alphanumeric

DSHS/THCIC WWW.DSHS.TEXAS.GOV/THCIC

Last Updated: February, 2025

Page 61

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
24	SECONDARY_PAYMENT_SRC	60	2	Alphanumeric
25	TYPE_OF_BILL	62	3	Alphanumeric
26	TOTAL_CHARGES	65	12	Numeric
27	TOTAL_NON_COV_CHARGES	77	12	Numeric
28	TOTAL_CHARGES_ACCOMM	89	12	Numeric
29	TOTAL_NON_COV_CHARGES_ACCOMM	101	12	Numeric
30	TOTAL_CHARGES_ANCIL	113	12	Numeric
31	TOTAL_NON_COV_CHARGES_ANCIL	125	12	Numeric
32	ADMITTING_DIAGNOSIS	137	7	Alphanumeric
33	PRINC_DIAG_CODE	144	7	Alphanumeric
34	POA_PRINC_DIAG_CODE	151	1	Alphanumeric
35	OTH_DIAG_CODE_1	152	7	Alphanumeric
36	POA_OTH_DIAG_CODE_1	159	1	Alphanumeric
37	OTH_DIAG_CODE_2	160	7	Alphanumeric
38	POA_OTH_DIAG_CODE_2	167	1	Alphanumeric
39	OTH_DIAG_CODE_3	168	7	Alphanumeric
40	POA_OTH_DIAG_CODE_3	175	1	Alphanumeric
41	OTH_DIAG_CODE_4	176	7	Alphanumeric
42	POA_OTH_DIAG_CODE_4	183	1	Alphanumeric
43	OTH_DIAG_CODE_5	184	7	Alphanumeric
44	POA_OTH_DIAG_CODE_5	191	1	Alphanumeric
45	OTH_DIAG_CODE_6	192	7	Alphanumeric
46	POA_OTH_DIAG_CODE_6	199	1	Alphanumeric
47	OTH_DIAG_CODE_7	200	7	Alphanumeric
48	POA_OTH_DIAG_CODE_7	207	1	Alphanumeric
49	OTH_DIAG_CODE_8	208	7	Alphanumeric
50	POA_OTH_DIAG_CODE_8	215	1	Alphanumeric
51	OTH_DIAG_CODE_9	216	7	Alphanumeric
52	POA_OTH_DIAG_CODE_9	223	1	Alphanumeric
53	OTH_DIAG_CODE_10	224	7	Alphanumeric
54	POA_OTH_DIAG_CODE_10	231	1	Alphanumeric
55	OTH_DIAG_CODE_11	232	7	Alphanumeric
56	POA_OTH_DIAG_CODE_11	239	1	Alphanumeric
57	OTH_DIAG_CODE_12	240	7	Alphanumeric
58	POA_OTH_DIAG_CODE_12	247	1	Alphanumeric
59	OTH_DIAG_CODE_13	248	7	Alphanumeric
60	POA_OTH_DIAG_CODE_13	255	1	Alphanumeric
61	OTH_DIAG_CODE_14	256	7	Alphanumeric
62	POA_OTH_DIAG_CODE_14	263	1	Alphanumeric
63	OTH_DIAG_CODE_15	264	7	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
64	POA_OTH_DIAG_CODE_15	271	1	Alphanumeric
65	OTH_DIAG_CODE_16	272	7	Alphanumeric
66	POA_OTH_DIAG_CODE_16	279	1	Alphanumeric
67	OTH_DIAG_CODE_17	280	7	Alphanumeric
68	POA_OTH_DIAG_CODE_17	287	1	Alphanumeric
69	OTH_DIAG_CODE_18	288	7	Alphanumeric
70	POA_OTH_DIAG_CODE_18	295	1	Alphanumeric
71	OTH_DIAG_CODE_19	296	7	Alphanumeric
72	POA_OTH_DIAG_CODE_19	303	1	Alphanumeric
73	OTH_DIAG_CODE_20	304	7	Alphanumeric
74	POA_OTH_DIAG_CODE_20	311	1	Alphanumeric
75	OTH_DIAG_CODE_21	312	7	Alphanumeric
76	POA_OTH_DIAG_CODE_21	319	1	Alphanumeric
77	OTH_DIAG_CODE_22	320	7	Alphanumeric
78	POA_OTH_DIAG_CODE_22	327	1	Alphanumeric
79	OTH_DIAG_CODE_23	328	7	Alphanumeric
80	POA_OTH_DIAG_CODE_23	335	1	Alphanumeric
81	OTH_DIAG_CODE_24	336	7	Alphanumeric
82	POA_OTH_DIAG_CODE_24	343	1	Alphanumeric
83	E_CODE_1	344	7	Alphanumeric
84	POA_E_CODE_1	351	1	Alphanumeric
85	E_CODE_2	352	7	Alphanumeric
86	POA_E_CODE_2	359	1	Alphanumeric
87	E_CODE_3	360	7	Alphanumeric
88	POA_E_CODE_3	367	1	Alphanumeric
89	E_CODE_4	368	7	Alphanumeric
90	POA_E_CODE_4	375	1	Alphanumeric
91	E_CODE_5	376	7	Alphanumeric
92	POA_E_CODE_5	383	1	Alphanumeric
93	E_CODE_6	384	7	Alphanumeric
94	POA_E_CODE_6	391	1	Alphanumeric
95	E_CODE_7	392	7	Alphanumeric
96	POA_E_CODE_7	399	1	Alphanumeric
97	E_CODE_8	400	7	Alphanumeric
98	POA_E_CODE_8	407	1	Alphanumeric
99	E_CODE_9	408	7	Alphanumeric
100	POA_E_CODE_9	415	1	Alphanumeric
101	E_CODE_10	416	7	Alphanumeric
102	POA_E_CODE_10	423	1	Alphanumeric
103	PRINC_SURG_PROC_CODE	424	7	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
104	PRINC_SURG_PROC_DAY	431	4	Alphanumeric
105	OTH_SURG_PROC_CODE_1	435	7	Alphanumeric
106	OTH_SURG_PROC_DAY_1	442	4	Alphanumeric
107	OTH_SURG_PROC_CODE_2	446	7	Alphanumeric
108	OTH_SURG_PROC_DAY_2	453	4	Alphanumeric
109	OTH_SURG_PROC_CODE_3	457	7	Alphanumeric
110	OTH_SURG_PROC_DAY_3	464	4	Alphanumeric
111	OTH_SURG_PROC_CODE_4	468	7	Alphanumeric
112	OTH_SURG_PROC_DAY_4	475	4	Alphanumeric
113	OTH_SURG_PROC_CODE_5	479	7	Alphanumeric
114	OTH_SURG_PROC_DAY_5	486	4	Alphanumeric
115	OTH_SURG_PROC_CODE_6	490	7	Alphanumeric
116	OTH_SURG_PROC_DAY_6	497	4	Alphanumeric
117	OTH_SURG_PROC_CODE_7	501	7	Alphanumeric
118	OTH_SURG_PROC_DAY_7	508	4	Alphanumeric
119	OTH_SURG_PROC_CODE_8	512	7	Alphanumeric
120	OTH_SURG_PROC_DAY_8	519	4	Alphanumeric
121	OTH_SURG_PROC_CODE_9	523	7	Alphanumeric
122	OTH_SURG_PROC_DAY_9	530	4	Alphanumeric
123	OTH_SURG_PROC_CODE_10	534	7	Alphanumeric
124	OTH_SURG_PROC_DAY_10	541	4	Alphanumeric
125	OTH_SURG_PROC_CODE_11	545	7	Alphanumeric
126	OTH_SURG_PROC_DAY_11	552	4	Alphanumeric
127	OTH_SURG_PROC_CODE_12	556	7	Alphanumeric
128	OTH_SURG_PROC_DAY_12	563	4	Alphanumeric
129	OTH_SURG_PROC_CODE_13	567	7	Alphanumeric
130	OTH_SURG_PROC_DAY_13	574	4	Alphanumeric
131	OTH_SURG_PROC_CODE_14	578	7	Alphanumeric
132	OTH_SURG_PROC_DAY_14	585	4	Alphanumeric
133	OTH_SURG_PROC_CODE_15	589	7	Alphanumeric
134	OTH_SURG_PROC_DAY_15	596	4	Alphanumeric
135	OTH_SURG_PROC_CODE_16	600	7	Alphanumeric
136	OTH_SURG_PROC_DAY_16	607	4	Alphanumeric
137	OTH_SURG_PROC_CODE_17	611	7	Alphanumeric
138	OTH_SURG_PROC_DAY_17	618	4	Alphanumeric
139	OTH_SURG_PROC_CODE_18	622	7	Alphanumeric
140	OTH_SURG_PROC_DAY_18	629	4	Alphanumeric
141	OTH_SURG_PROC_CODE_19	633	7	Alphanumeric
142	OTH_SURG_PROC_DAY_19	640	4	Alphanumeric
143	OTH_SURG_PROC_CODE_20	644	7	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
144	OTH_SURG_PROC_DAY_20	651	4	Alphanumeric
145	OTH_SURG_PROC_CODE_21	655	7	Alphanumeric
146	OTH_SURG_PROC_DAY_21	662	4	Alphanumeric
147	OTH_SURG_PROC_CODE_22	666	7	Alphanumeric
148	OTH_SURG_PROC_DAY_22	673	4	Alphanumeric
149	OTH_SURG_PROC_CODE_23	677	7	Alphanumeric
150	OTH_SURG_PROC_DAY_23	684	4	Alphanumeric
151	OTH_SURG_PROC_CODE_24	688	7	Alphanumeric
152	OTH_SURG_PROC_DAY_24	695	4	Alphanumeric
153	ATTENDING_PHYSICIAN_UNIF_ID	699	10	Alphanumeric
154	OPERATING_PHYSICIAN_UNIF_ID	709	10	Alphanumeric
155	ENCOUNTER_INDICATOR	719	2	Alphanumeric
156	PROVIDER_NAME	721	55	Alphanumeric
157	EMERGENCY_DEPT_FLAG	776	1	Alphanumeric
	Record_Length		776	

# BASE DATA #2 FILE

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
1	RECORD_ID Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).	1	12	Alphanumeric
2	PRIVATE_AMOUNT	13	12	Numeric
3	SEMI_PRIVATE_AMOUNT	25	12	Numeric
4	WARD_AMOUNT	37	12	Numeric
5	ICU_AMOUNT	49	12	Numeric
6	CCU_AMOUNT	61	12	Numeric
7	OTHER_AMOUNT	73	12	Numeric
8	PHARM_AMOUNT	85	12	Numeric
9	MEDSURG_AMOUNT	97	12	Numeric
10	DME_AMOUNT	109	12	Numeric
11	USED_DME_AMOUNT	121	12	Numeric
12	PT_AMOUNT	133	12	Numeric
13	OT_AMOUNT	145	12	Numeric
14	SPEECH_AMOUNT	157	12	Numeric
15	IT_AMOUNT	169	12	Numeric
16	BLOOD_AMOUNT	181	12	Numeric
17	BLOOD_ADM_AMOUNT	193	12	Numeric
18	OR_AMOUNT	205	12	Numeric
19	LITH_AMOUNT	217	12	Numeric
20	CARD_AMOUNT	229	12	Numeric
21	ANES_AMOUNT	241	12	Numeric
22	LAB_AMOUNT	253	12	Numeric
23	RAD_AMOUNT	265	12	Numeric
24	MRI_AMOUNT	277	12	Numeric
25	OP_AMOUNT	289	12	Numeric
26	ER_AMOUNT	301	12	Numeric
27	AMBULANCE_AMOUNT	313	12	Numeric
28	PRO_FEE_AMOUNT	325	12	Numeric
29	ORGAN_AMOUNT	337	12	Numeric
30	ESRD_AMOUNT	349	12	Numeric
31	CLINIC_AMOUNT	361	12	Numeric
32	OCCUR_CODE_1	373	2	Alphanumeric
33	OCCUR_DAY_1	375	4	Alphanumeric
34	OCCUR_CODE_2	379	2	Alphanumeric
35	OCCUR_DAY_2	381	4	Alphanumeric
36	OCCUR_CODE_3	385	2	Alphanumeric

DSHS Document # E25-14163 Last Updated: February, 2025

**Page 66** 

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
37	OCCUR_DAY_3	387	4	Alphanumeric
38	OCCUR_CODE_4	391	2	Alphanumeric
39	OCCUR_DAY_4	393	4	Alphanumeric
40	OCCUR_CODE_5	397	2	Alphanumeric
41	OCCUR_DAY_5	399	4	Alphanumeric
42	OCCUR_CODE_6	403	2	Alphanumeric
43	OCCUR_DAY_6	405	4	Alphanumeric
44	OCCUR_CODE_7	409	2	Alphanumeric
45	OCCUR_DAY_7	411	4	Alphanumeric
46	OCCUR_CODE_8	415	2	Alphanumeric
47	OCCUR_DAY_8	417	4	Alphanumeric
48	OCCUR_CODE_9	421	2	Alphanumeric
49	OCCUR_DAY_9	423	4	Alphanumeric
50	OCCUR_CODE_10	427	2	Alphanumeric
51	OCCUR_DAY_10	429	4	Alphanumeric
52	OCCUR_CODE_11	433	2	Alphanumeric
53	OCCUR_DAY_11	435	4	Alphanumeric
54	OCCUR_CODE_12	439	2	Alphanumeric
55	OCCUR_DAY_12	441	4	Alphanumeric
56	OCCUR_SPAN_CODE_1	445	2	Alphanumeric
57	OCCUR_SPAN_FROM_1	447	6	Alphanumeric
58	OCCUR_SPAN_THRU_1	453	6	Alphanumeric
59	OCCUR_SPAN_CODE_2	459	2	Alphanumeric
60	OCCUR_SPAN_FROM_2	461	6	Alphanumeric
61	OCCUR_SPAN_THRU_2	467	6	Alphanumeric
62	OCCUR_SPAN_CODE_3	473	2	Alphanumeric
63	OCCUR_SPAN_FROM_3	475	6	Alphanumeric
64	OCCUR_SPAN_THRU_3	481	6	Alphanumeric
65	OCCUR_SPAN_CODE_4	487	2	Alphanumeric
66	OCCUR_SPAN_FROM_4	489	6	Alphanumeric
67	OCCUR_SPAN_THRU_4	495	6	Alphanumeric
68	CONDITION_CODE_1	501	2	Alphanumeric
69	CONDITION_CODE_2	503	2	Alphanumeric
70	CONDITION_CODE_3	505	2	Alphanumeric
71	CONDITION_CODE_4	507	2	Alphanumeric
72	CONDITION_CODE_5	509	2	Alphanumeric
73	CONDITION_CODE_6	511	2	Alphanumeric
74	CONDITION_CODE_7	513	2	Alphanumeric
75	CONDITION_CODE_8	515	2	Alphanumeric
76	VALUE_CODE_1	517	2	Alphanumeric

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
77	VALUE_AMOUNT_1	519	9	Numeric
78	VALUE_CODE_2	528	2	Alphanumeric
79	VALUE_AMOUNT_2	530	9	Numeric
80	VALUE_CODE_3	539	2	Alphanumeric
81	VALUE_AMOUNT_3	541	9	Numeric
82	VALUE_CODE_4	550	2	Alphanumeric
83	VALUE_AMOUNT_4	552	9	Numeric
84	VALUE_CODE_5	561	2	Alphanumeric
85	VALUE_AMOUNT_5	563	9	Numeric
86	VALUE_CODE_6	572	2	Alphanumeric
87	VALUE_AMOUNT_6	574	9	Numeric
88	VALUE_CODE_7	583	2	Alphanumeric
89	VALUE_AMOUNT_7	585	9	Numeric
90	VALUE_CODE_8	594	2	Alphanumeric
91	VALUE_AMOUNT_8	596	9	Numeric
92	VALUE_CODE_9	605	2	Alphanumeric
93	VALUE_AMOUNT_9	607	9	Numeric
94	VALUE_CODE_10	616	2	Alphanumeric
95	VALUE_AMOUNT_10	618	9	Numeric
96	VALUE_CODE_11	627	2	Alphanumeric
97	VALUE_AMOUNT_11	629	9	Numeric
98	VALUE_CODE_12	638	2	Alphanumeric
99	VALUE_AMOUNT_12	640	9	Numeric
	Record_Length		648	

# CHARGES DATA FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID	1	12	Alphanumeric
2	REVENUE_CODE	13	4	Alphanumeric
3	HCPCS_QUALIFIER	17	2	Alphanumeric
4	HCPCS_PROCEDURE_CODE	19	5	Alphanumeric
5	MODIFIER_1	24	2	Alphanumeric
6	MODIFIER_2	26	2	Alphanumeric
7	MODIFIER_3	28	2	Alphanumeric
8	MODIFIER_4	30	2	Alphanumeric
9	UNIT_MEASUREMENT_CODE	32	2	Alphanumeric
10	UNITS_OF_SERVICE	34	7	Numeric
11	UNIT_RATE	41	12	Numeric
12	CHRGS_LINE_ITEM	53	14	Numeric
13	CHRGS_NON_COV	67	14	Numeric
	Record_Length		80	

# FACILITY TYPE INDICATOR FILE

Number	Field Name	Position	Length	Field Type
1	THCIC_ID	1	6	Alphanumeric
2	FACILITY_TYPE	7	4	Alphanumeric
3	FAC_TEACHING_IND	11	1	Alphanumeric
4	FAC_PSYCH_IND	12	1	Alphanumeric
5	FAC_REHAB_IND	13	1	Alphanumeric
6	FAC_ACUTE_CARE_IND	14	1	Alphanumeric
7	FAC_SNF_IND	15	1	Alphanumeric
8	FAC_LONG_TERM_AC_IND	16	1	Alphanumeric
9	FAC_OTHER_LTC_IND	17	1	Alphanumeric
10	FAC_PEDS_IND	18	1	Alphanumeric
11	PROVIDER_NAME	19	55	Alphanumeric
12	POA_PROVIDER_INDICATOR	74	1	Alphanumeric
13	CERT_STATUS	75	1	Alphanumeric
	Record_Length		75	

DSHS Document # E25-14163 Last Updated: February, 2025

- Page 69 -

# **GROUPER FILE**

Number	Field Name	Position	Length	Field Type
1	RECORD_ID	1	12	Alphanumeric
2	FROZEN_MS_DRG	13	3	Alphanumeric
3	FROZEN_MS_MDC	16	2	Alphanumeric
4	FROZEN_MS_GRP_VER	18	5	Alphanumeric
5	FROZEN_MS_GRP_ERROR_CODE	23	2	Alphanumeric
6	FROZEN_APR_DRG	25	3	Alphanumeric
7	FROZEN_RISK_MORTALITY	28	1	Alphanumeric
8	FROZEN_ILLNESS_SEVERITY	29	1	Alphanumeric
9	FROZEN_APR_MDC	30	2	Alphanumeric
10	FROZEN_APR_GRP_VER	32	5	Alphanumeric
11	FROZEN_APR_GRP_ERROR_CODE	37	2	Alphanumeric
12	MS_DRG	39	3	Alphanumeric
13	MS_MDC	42	2	Alphanumeric
14	MS_GRP_VER	44	5	Alphanumeric
15	MS_GRP_ERROR_CODE	49	2	Alphanumeric
16	APR_DRG	51	3	Alphanumeric
17	RISK_MORTALITY	54	1	Alphanumeric
18	ILLNESS_SEVERITY	55	1	Alphanumeric
19	APR_MDC	56	2	Alphanumeric
20	APR_GRP_VER	58	5	Alphanumeric
21	APR_GRP_ERROR_CODE	63	2	Alphanumeric
	Record_Length		64	